



World Way International

"Working Around the Globe for You"

ABODEWARE



SERVICES

Full Service Sourcing

Production / Quality Inspections

Marketing Support

Factory Audits

Product Development

Travel Assistance

CHINA WAREHOUSE



World Way International

"Working Around the Globe For You"



World Way International Office/Showroom/Inspection Room/Warehouse

Product



Kitchen

Air Fryer	04-16
Coffee Maker	17-25
popcorn/candy	26-49
Blenders/Mixers	30-59
Crockpots	60-67
Blenders	68-78



KITCHEN Air Fryer



19L/20L

Air Fryer Toaster Oven

More faster, More capacity, More easy clean, More energy conservation.

HEALTHY COOKING
up to **80%**
less fat
DELICIOUS
FOOD WITH
LESS OIL



Model No.: **KDF-819D-1**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent lid cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-230°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
19L/20L	1800W	450x390x430mm	468x408x455mm	350	685	820

19L/20L



Model No.: **KDF-819D-2**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent lid cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-230°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
19L/20L	1800W	450x390x430mm	468x408x455mm	350	685	820

19L/20L

Air Fryer Toaster Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-819**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * 7 Functions: Air Fry, Convection Bake, Convection Broil, Bake, Broil, Warm, Toast.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 80-230°C
- * Time control 0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
19L/20L	1800W	450x390x430mm	468x408x455mm	350	685	820

10L

Multi-function Air Fryer

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-590D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-functions: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent lid cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
10L	1200-1400W	440x360x385mm	465x375x405mm	440	900	1030

12L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-585D-1**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L



Model No.: **KDF-585D-2**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-585D-3**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L



Model No.: **KDF-586D-1**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-586D-2**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L



Model No.: **KDF-586D-3**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-585**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L



Model No.: **KDF-586**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x395mm	720x365x410mm	450	860	1080

12L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-583D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x410mm	720x365x425mm	450	860	1080

12L



Model No.: **KDF-583**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: Infrared heat, hot turbo air and 360 degrees good rotating system.
- * Transparent door cover for easy visual cooking
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
12L	1600-1800W	350x350x410mm	720x365x425mm	450	860	1080

7L

Air Fryer Oven

More faster, More capacity, More easy clean, More energy conservation.



Model No.: **KDF-580D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display.
- * Digital control time and temperature.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
9L/10L	1600-1800W	400x400x385mm	820x415x385mm	400	900	1000

7L



Model No.: **KDF-580**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
9L/10L	1600-1800W	400x400x385mm	820x415x385mm	400	900	1000

10L



KDF-581-2

3 in 1 AIR FRYER & BREAD MAKER & OVEN



* The high-speed circulation air fryer allows you to make an 80% reduction in delicious French fries than traditional fryers. Unique combination of fast circulating hot air and baking element that allows you to quickly and easily fry any refreshments, snacks and cuisine.



* Fully adjustable temperature control allows you to preset the best food cooking temperature up to 200°C. Enjoy a French fries, steak, meats, etc., all the food was prepared in the appropriate temperature, in order to obtain the best results!



* Integrated timer can default up to 30 minutes of cooking time. Auto-off functions include "ready" sound indication.

10L



KDF-581-1



KDF-581-2

Model No.: **KDF-581-1** **KDF-581-2**

- Features:**
- * Rapid air circulate system fry food faster and save energy.
 - * Healthy way for fry without oil and less fat 80%.
 - * LED display.
 - * Digital control time and temperature.
 - * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
 - * Non-slip feet.

- Specifics:**
- * 110-127V/ 220-240V
 - * Rated Frequency: 50/60Hz
 - * Temperature Control Range: 50-200°C
 - * Time control 0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
10L	1200-1400W	365x315x385mm	645x385x410mm	500	1000	1180

5.5L

AIR FRYER

- Easy to use controls**
The touch screen control panel is easy to use and intuitive. It allows you to quickly and easily fry any refreshments, snacks and cuisine.
- Non-stick coating**
The food basket and drawer are coated with a non-stick coating, making them easy to clean and dishwasher safe.
- Quick cooking**
The high-speed circulation air fryer allows you to cook food faster and save energy.
- Rapid air technology**
The high-speed circulation air fryer allows you to cook food faster and save energy.



Model No.: **KDF-578D**

- Features:**
- * Rapid air circulate system fry food faster and save energy.
 - * Healthy way for fry without oil and less fat 80%.
 - * LED display with touch screen.
 - * Digital control time and temperature.
 - * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
 - * Triple cooking power: infrared heat, hot turbo air.
 - * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
 - * Non-slip feet.

- Specifics:**
- * 110-127V/ 220-240V
 - * Rated Frequency: 50/60Hz
 - * Temperature Control Range: 50-200°C
 - * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L



Model No.: **KDF-575D**

- Features:**
- * Rapid air circulate system fry food faster and save energy.
 - * Healthy way for fry without oil and less fat 80%.
 - * LED display with touch screen.
 - * Digital control time and temperature.
 - * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
 - * Triple cooking power: infrared heat, hot turbo air.
 - * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
 - * Non-slip feet.

- Specifics:**
- * 110-127V/ 220-240V
 - * Rated Frequency: 50/60Hz
 - * Temperature Control Range: 50-200°C
 - * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L



Model No.: **KDF-578D-2**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L



Model No.: **KDF-575D-2**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L



Model No.: **KDF-578**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: Infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L



Model No.: **KDF-575**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L/7L



Model No.: **KDF-560D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L/7L



Model No.: **KDF-570D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L/7L



Model No.: **KDF-570DF**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L/7L



Model No.: **KDF-570**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20'GP	40'GP	40'HQ
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-550D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728
4L	1400-1600W	310x310x375mm	645x325x390mm	738	1476	1692
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-550**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728
4L	1400-1600W	310x310x375mm	645x325x390mm	738	1476	1692
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-553D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728
4L	1400-1600W	310x310x375mm	645x325x390mm	738	1476	1692
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-553**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728
4L	1400-1600W	310x310x375mm	645x325x390mm	738	1476	1692
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-540D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LCD display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x355mm	645x325x375mm	756	1512	1764
4L	1400-1600W	310x310x365mm	645x325x380mm	738	1476	1728
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L/5.5L/7L



Model No.: **KDF-540**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x355mm	645x325x375mm	756	1512	1764
4L	1400-1600W	310x310x365mm	645x325x380mm	738	1476	1728
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

5.5L/7L



Model No.: **KDF-540D-3**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
5.5L/7L	1600-1800W	350x350x425mm	720x365x440mm	450	960	1150

3.2L/4L



Model No.: **KDF-530D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x350mm	645x325x370mm	756	1512	1764
4L	1400-1600W	310x310x362mm	645x325x380mm	738	1476	1728

3.2L



Model No.: **KDF-558D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728

3.2L



Model No.: **KDF-558**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x365mm	645x325x380mm	738	1476	1728

3.2L/4L

DESCRIPTION OF PARTS



Model No.: **KDF-539**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 100-200°C
- * Time control 0-30min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x356mm	645x325x375mm	756	1512	1764
4L	1400-1600W	310x310x385mm	645x325x380mm	738	1476	1728

3L



Model No.: **KDF-589D**

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * LED display with touch screen.
- * Digital control time and temperature.
- * Protection cover for pan release button.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.
- * Non-slip feet.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3L	1200-1400W	363x336x340mm	687x376x355mm	738	1476	1728

2.5L/3.2L

2.5L/3.2L



KDF-529D



KDF-529



KDF-525D



KDF-525



KDF-527



KDF-528



KDF-510D



KDF-518

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
2.5L/3.2L	1200-1400W	290x290x350mm	600x305x370mm	792	1632	1904

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
1.8L/2.3L	1000-1200W	273x273x320mm	570x288x335mm	1120	2296	2624
2.5L/3.2L	1200-1400W	290x290x350mm	600x305x370mm	792	1632	1904

1.8L/2.3L

3.2L



KDF-515D



KDF-515



KDF-536



KDF-537



KDF-516



KDF-517



KDF-568



KDF-522

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
1.8L/2.3L	1000-1200W	273x273x320mm	570x288x335mm	1120	2296	2624

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power: infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	310x310x355mm	645x355x375mm	756	1512	1764

3.2L



KDF-531



KDF-532



KDF-526



KDF-523D

Features:

- * Rapid air circulate system fry food faster and save energy.
- * Healthy way for fry without oil and less fat 80%.
- * Manually adjust the time and temperature.
- * Multi-function: broil, grills, roasts, oil-free fry bakes, BBQ, stir-fry, defrosts, etc...
- * Triple cooking power, infrared heat, hot turbo air.
- * Detachable drawer and a food basket with non-stick coating, available dishwasher cleaning and easy to clean.

Specifics:

- * 110-127V/ 220-240V
- * Rated Frequency: 50/60Hz
- * Temperature Control Range: 50-200°C
- * Time control 0-30min/0-60min



CAPACITY	POWER	GIFT BOX	CARTON BOX	20"GP	40"GP	40"HQ
3.2L	1200-1400W	350x350x352mm	720x365x375mm	576	1188	1384

Air Fryer Accessories

Basket+the tray



8.5L



6L



4.5L



2.3L

Optional Accessories




Cake barrel




Pizza pan



Stainless steel tongs



Skewer rack



Toasting rack



Silicone cake cup



Rubber mat



Separator insert

A close-up photograph of a white ceramic coffee cup filled with coffee, topped with a thin layer of foam. The cup sits on a white saucer. Surrounding the cup are numerous dark brown coffee beans, several cinnamon sticks, and a piece of burlap fabric. A stream of white milk is being poured from above into the coffee. The background is a warm, golden-brown color.

KITCHEN Coffee Maker

**Soft Pod Coffee Machine****QF-CM804P**

220-240V~ 50Hz, 100-120V 60Hz, 1000W
 Capacity: 300ml (10oz)
 3.5bar pump, Stainless steel housing
 Suit for Soft Pod Coffee
 Visible and gradient water reservoir
 (4oz/6oz/8oz/10oz)1
 Removable drip tray for easy cleaning2

**QF-CM805P**

220-240V-50Hz, 100-120V 60Hz, 800W
 Capacity: 350ml (12oz)
 3.5bar pump
 Suit for Soft Pod Coffee
 Basket filter1
 Removable drip tray for easy cleaning2

**QF-CM812P**

220-240V-50Hz, 100-120V 60Hz, 1200W
 Three brewing sizes: 6oz/10oz/12oz1
 1.5L (50oz) removable water tank2
 3.5bar pump, Stainless steel housing
 Suit for Soft Pod Coffee
 Fast warming up
 Removable drip tray for easy cleaning3
 Allow barreled water pump in



**K-cup Coffee Machine****QF-CM812**

220-240V-50Hz , 100-120V 60Hz 1200W
 Three brewing sizes: 6oz/10oz/12oz1
 1.5L (50oz) removable water tank2
 3.5bar pump , Stainless steel housing
 K-cup capsule3
 Fast warming up
 Removable drip tray for easy cleaning
 Concealed needle
 Support water line plumbing to bottled water

**QF-CM821K**

220-240V-50Hz , 100-120V 60Hz 1150W
 Two brewing sizes : 180ml/300ml ...1
 3.5bar pump
 K-cup capsule2
 0.8L (27oz) removable water tank3
 Fast warming up in 10s
 Adjustable and removable drip tray4
 Support water line plumbing to bottled water



**K-cup Coffee Machine****QF-CM805**

220-240V-50Hz , 100-120V 60Hz 800W
Capacity: 350ml (12oz)
3.5bar pump
K-cup capsule and reusable cup1
Basket filter2
Removable drip tray for easy cleaning3

**QF-CM807**

220-240V-50Hz , 100-120V-60Hz 1150W
One button operation
3.5bar pump
Capacity : 550ml
Fast warming up in 10s
Concealed needle
Removable drip tray for easy cleaning
NTC control for best coffee temperature 85°C

**K-cup Coffee Machine****QF-CM802**

220-240V-50Hz , 100-120V 60Hz 800W

Capacity: 350ml(12oz)

3.5bar pump

K-cup capsule and reusable cup1

Basket filter2

Removable drip tray for easy cleaning3

**QF-CM804**

220-240V-50Hz , 100-120V 60Hz 1000W

Capacity: 300ml (10oz)

3.5bar pump , Stainless steel housing

Concealed needle1

Visible and gradient water reservoir

(4oz/6oz/8oz/10oz)2

K-cup capsule and reusable cup

Removable drip tray for easy cleaning3





Nespresso & Dolce Gusto Capsule Coffee Machine



QF-CM823

220-240V-50Hz , 100-120V-60Hz 1400W
Instant heating tube, pre-heating in10s
Capacity: 800ml
Brewing sizes : 40ml-160ml (7 different levels)
15bar pump
Removable water tank
NTC control for best coffee temperature
Removable and adjustable drip tray for easy cleaning
Brewing system :
Nespresso & Dolce Gusto system , changeable
capsule holders1



**Nespresso Capsule Coffee Machine****QF-CM822**

220-240V-50Hz , 100-120V-60Hz 1500W
Instant heating tube, pre-heating in 10s
Capacity: 800ml
Two brewing sizes : 40ml/80ml
19bar pump
Removable water tank
NTC control for best coffee temperature
Removable and adjustable drip tray for easy cleaning
Capsule auto drop function

**Reusable K-Cup****Reusable k cup**

- Support ground coffee and tea
- Compatible with all of our k-cup coffee machines!
- Stainless steel filter
- Food grade PP material
- BPA free
- Different colors for choice

**K-cup Coffee Machine****QF-CM801**

220-240V-50Hz , 100-120V 60Hz 800W
Capacity: 350ml(12oz)
3.5bar pump
K-cup capsule and reusable cup
Basket filter
Removable drip tray for easy cleaning



KITCHEN **Popcorn Candy**



FUNCTION

- POPCORN MADE BY HOT AIR CIRCULATION, LESS CALORIES
- VERY EASY AND CONVENIENT
- PREPARATION WITHOUT OIL
- ONLY NEED 3-4 MINUTES



MY-B001

PACKING DETAILS:
GIFT BOX SIZE: 18.2x13x27.6cm
CARTON SIZE: 18.5x29.5x37cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 11.4/9.4KGS
20/40/40HQ: 3140/1920/1920PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B019

PACKING DETAILS:
GIFT BOX SIZE: 16.3x12.3x27cm
CARTON SIZE: 16.6x28.5x29cm
PACKING QTY: 12PCS/CTN
20/40/40HQ: 4490/9900/10740PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B011

PACKING DETAILS:
GIFT BOX SIZE: 14.3x14.3x26.8cm
CARTON SIZE: 14.5x30.2x55.8cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 10.4/9KGS
20/40/40HQ: 4440/9380/10740PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B003

PACKING DETAILS:
GIFT BOX SIZE: 14.3x14.3x26.2cm
CARTON SIZE: 14.5x30.5x54cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 10.6/8.7KGS
20/40/40HQ: 4560/9540/11160PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B004

PACKING DETAILS:
GIFT BOX SIZE: 15.8x15.8x25.2cm
CARTON SIZE: 16.3x33.5x52cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 11.0/9KGS
20/40/40HQ: 4580/9180/10360PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B014

PACKING DETAILS:
GIFT BOX SIZE: 16.5x15.5x28.5cm
CARTON SIZE: 16.2x40.5x30.5cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 8.6/4.8KGS
20/40/40HQ: 2750/5730/6630PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 65g



MY-B016

PACKING DETAILS:
GIFT BOX SIZE: 14.6x11.5x23.5cm
CARTON SIZE: 14.7x34.5x32cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 8.6/6.8KGS
20/40/40HQ: 5940/12360/14280PCS

SPECIFICATION:
POWER: 900W
CAPACITY: 40g



MY-B010

PACKING DETAILS:
GIFT BOX SIZE: 17.4x17.4x31.6cm
CARTON SIZE: 17.5x37.3x36cm
PACKING QTY: 8PCS/CTN
G.W./N.W.: 12.2/6.3KGS
20/40/40HQ: 2610/5400/6240PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B023

PACKING DETAILS:
GIFT BOX SIZE: 12x14.5x26cm
CARTON SIZE: 13.8x34.5x54cm
PACKING QTY: 12PCS/CTN
20/40/40HQ: 5230/10340/12340PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B012

PACKING DETAILS:
GIFT BOX SIZE: 25.2x13.7x23cm
CARTON SIZE: 42.8x26.7x40cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 6.2/4.8KGS
20/40/40HQ: 3210/6630/7680PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B008

PACKING DETAILS:
GIFT BOX SIZE: 17.3x17.3x28cm
CARTON SIZE: 17.5x36.5x38cm
PACKING QTY: 12PCS/CTN
G.W./N.W.: 12.8/10.8KGS
20/40/40HQ: 2940/6102/7050PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 80g



MY-B024

PACKING DETAILS:
GIFT BOX SIZE: 11.2x17.5x23.2cm
CARTON SIZE: 12.9x30.4x32cm
PACKING QTY: 12PCS/CTN
20/40/40HQ: 4200/8400/9780PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B025

PACKING DETAILS:
GIFT BOX SIZE: 12x14x21cm
CARTON SIZE: 13.8x34.5x44cm
PACKING QTY: 18PCS/CTN
20/40/40HQ: 9070/19122/21710PCS

SPECIFICATION:
POWER: 800W
CAPACITY: 40g



MY-B017

PACKING DETAILS:
GIFT BOX SIZE: 43.3x13.3x29cm
CARTON SIZE: 45x36x33.5cm
PACKING QTY: 2PCS/CTN
G.W./N.W.: 4.8/3.8KGS
20/40/40HQ: 1130/2346/2712PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 80g



MY-B017B

PACKING DETAILS:
GIFT BOX SIZE: 43.1x17.3x29cm
CARTON SIZE: 45x36x35cm
PACKING QTY: 2PCS/CTN
G.W./N.W.: 4.8/3.8KGS
20/40/40HQ: 1130/2346/2712PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 80g



MY-B021

PACKING DETAILS:
GIFT BOX SIZE: 26.4x15.4x24.8cm
CARTON SIZE: 28.4x27.2x32cm
PACKING QTY: 8PCS/CTN
20/40/40HQ: 2472/4944/5592PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-A001

PACKING DETAILS:
GIFT BOX SIZE: 23.5x23.5x38.5cm
CARTON SIZE: 26.5x48.5x48.5cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 10.8/11.1KGS
20/40/40HQ: 1230/2520/2940PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



MY-B020

PACKING DETAILS:
GIFT BOX SIZE: 20.2x24.8x5cm
CARTON SIZE: 41.5x41.5x30.5cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 9.8/9KGS
20/40/40HQ: 2130/4416/5100PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 90g



MY-B022

PACKING DETAILS:
GIFT BOX SIZE: 27.2x15.5x26.8cm
CARTON SIZE: 30x47x28.8cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 9.7/2KGS
20/40/40HQ: 2220/4590/5340PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 60g



FUNCTION

- POPCORN MADE BY HEATING PLATE
- CAN ADD BUTTER, OIL, SUGAR, SALT AND ANYTHING YOU WANT
- MOTORIZED STIRRING ROD STIRRED MIX, SPINNS AND SPICES
- ONLY NEED 8 MINUTES
- NON-STICK COATING FOR EASY CLEANING



MY-B005

PACKING DETAILS:
GIFT BOX SIZE: 27.5x27.5x35.4cm
CARTON SIZE: 34.5x37x37cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 14.1/10.6KGS
20/40/40HQ: 930/1950/2250PCS

SPECIFICATION:
POWER: 700W
CAPACITY: 4.5L, 100-120g



MY-B006

PACKING DETAILS:
GIFT BOX SIZE: 25.8x25.8x29.3cm
CARTON SIZE: 32.7x52.7x31cm
PACKING QTY: 6PCS/CTN
G.W./N.W.: 8.7/5.3KGS
20/40/40HQ: 1300/2640/3092PCS

SPECIFICATION:
POWER: 700W
CAPACITY: 2.5L, 60-80g



MY-B007

PACKING DETAILS:
GIFT BOX SIZE: 29.5x20.5x29cm
CARTON SIZE: 30x33x31cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 8.7/5.3KGS
20/40/40HQ: 1416/2832/3420PCS

SPECIFICATION:
POWER: 700W
CAPACITY: 3L, 80-100g



MY-B015

PACKING DETAILS:
GIFT BOX SIZE: 28.5x24.6x23.1cm
CARTON SIZE: 33.5x49.5x25cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 8.6/6KGS
20/40/40HQ: 1500/3220/3720PCS

SPECIFICATION:
POWER: 700W
CAPACITY: 2L, 70g





FUNCTION

- TRADITIONAL HOT OIL KETTLE POPCORN POPPER
- 2.5 Q. STAINLESS STEEL KETTLE WITH BUILT-IN STIRRING SYSTEM
- MAKES UP TO 1 GALLON OF POPCORN TRAY
- CONVENIENT PULL-OUT POPCORN TRAY
- PLEXI-GLASS WINDOWS AND DOOR
- WARMING LIGHT TO KEEP POPCORN HOT



FUNCTION

- ON/OFF SWITCH
- WITH MIXING BOWL
- SOLID MOLDERS FOR GUMMY CANDY
- ABS SERVING TRAY FOR TABLE USE



MY-B018

PACKING DETAILS:
GIFT BOX SIZE: 30.4x21.8x49.5cm
CARTON SIZE: 39x24x82cm
PACKING QTY: 3PCS/CTN
G.W./N.W.: 7.9KG/5
20/40/40HQ: 618/1280/1478PCS

SPECIFICATION:
POWER: 300W
CAPACITY: 60g



MY-B018A

PACKING DETAILS:
GIFT BOX SIZE: 30.4x29.6x49cm
CARTON SIZE: 39x24x82cm
PACKING QTY: 3PCS/CTN
G.W./N.W.: 7.9KG/5
20/40/40HQ: 664/1336/1540PCS

SPECIFICATION:
POWER: 300W
CAPACITY: 60g



MY-C002

PACKING DETAILS:
GIFT BOX SIZE: 27.3x15.8x24cm
CARTON SIZE: 35.8x32.2x26.4cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.3/4.7KG/5
20/40/40HQ: 2210/4560/5120PCS

SPECIFICATION:
POWER: 140W
CAPACITY: 230ml



FUNCTION

- MAKE CANDY BUBBLES AT HOME
- FUN AND EXCITING TO MAKE
- IS HEALTHY AND TASTY SNACK FOR THE WHOLE FAMILY
- ON/OFF SWITCH



MY-C001

PACKING DETAILS:
GIFT BOX SIZE: 31.8x31.8x152cm
CARTON SIZE: 65x33.5x60.5cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.8/4.5KG/5
20/40/40HQ: 1280/2560/3104PCS

SPECIFICATION:
POWER: 500W
CAPACITY: 16g



MY-C004

PACKING DETAILS:
GIFT BOX SIZE: 31.8x31.8x21cm
CARTON SIZE: 64x32.8x44cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.2/4.8KG/5
20/40/40HQ: 1222/2544/3108PCS

SPECIFICATION:
POWER: 500W
CAPACITY: 16g



MY-C007

PACKING DETAILS:
GIFT BOX SIZE: 31.8x31.8x21cm
CARTON SIZE: 64x32.8x44cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.2/4.8KG/5
20/40/40HQ: 1230/2460/2872PCS

SPECIFICATION:
POWER: 500W
CAPACITY: 16g



MY-C005

PACKING DETAILS:
GIFT BOX SIZE: 26.8x26.8x13.8cm
CARTON SIZE: 55x33.5x60.5cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.3/3.9KG/5
20/40/40HQ: 2312/4624/5536PCS

SPECIFICATION:
POWER: 450W
CAPACITY: 12g



MY-C006

PACKING DETAILS:
GIFT BOX SIZE: 31.7x25.7x14cm
CARTON SIZE: 59x28.2x44cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 5.2/5.2KG/5
20/40/40HQ: 2460/5040/5880PCS

SPECIFICATION:
POWER: 450W
CAPACITY: 12g



FUNCTION

- MAKES ICE CREAM AND YOGURT IN ONE MACHINE
- DOUBLE LAYER INSULATION DESIGN, HIGH QUALITY FROZEN LIQUID, COOL STORAGE PERFORMANCE IS SUPERIOR
- READY OPERATION STARTS AND STOPS WITH ONE BUTTON
- HORN MADE SIMPLE, AWAY FROM ADDITIVES, SAFE AND
- SECURE, HEALTHY AND DELICIOUS



MY-E001

PACKING DETAILS:
GIFT BOX SIZE: 16.5x16.5x17.8cm
CARTON SIZE: 15.5x15.5x19.6cm
PACKING QTY: 9PCS/CTN
20/40/40HQ: 3220/1080/2912591PCS

SPECIFICATION:
POWER: 5W
CAPACITY: 250ml



MY-E002

PACKING DETAILS:
GIFT BOX SIZE: 17x17x22cm
CARTON SIZE: 32.8x32.8x24cm
PACKING QTY: 3PCS/CTN
20/40/40HQ: 4022/722/5908PCS

SPECIFICATION:
POWER: 5W
CAPACITY: 100ml



MY-E003

PACKING DETAILS:
GIFT BOX SIZE: 23.5x23.5x37cm
CARTON SIZE: 48.5x48.5x39cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 12/10.2KG/5
20/40/40HQ: 1346/2720/3072PCS

SPECIFICATION:
POWER: 15W
CAPACITY: 500ml



FUNCTION

- 70W: PARTS OF PLATE GRILL, PLATE AND GRIDDLE
- PLATE FOR MULTIFUNCTIONAL GRILLING
- GRIDDLE FOR HIGH HEATABLE
- TOW: KNOCK AND INDICATORS CONTROL, HIGH AND LOW SET PLATE WARMING
- NON-STICK COATED PLATE FOR EASY CLEANING
- GRIP TRAY FOR COLLECTING DRAINED OUT OIL AND UNWANTED GREASE



MY-502

PACKING DETAILS:
GIFT BOX SIZE: 32.2x14x31.8cm
CARTON SIZE: 54x44x33cm
PACKING QTY: 3PCS/CTN
G.W./N.W.: 15.4/11.4KG/5
20/40/40HQ: 1080/1240/1560PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 1600W
110-120V 60Hz 1230W
PLATE SIZE: 19x38cm



MY-503

PACKING DETAILS:
GIFT BOX SIZE: 54.6x15.5x33cm
CARTON SIZE: 56x32.5x35cm
PACKING QTY: 3PCS/CTN
G.W./N.W.: 15.1/11.2KG/5
20/40/40HQ: 930/1840/2330PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 1600W
110-120V 60Hz 1250W
PLATE SIZE: 19x38cm



MY-501

PACKING DETAILS:
GIFT BOX SIZE: 53.8x13.2x31cm
CARTON SIZE: 55.5x35.5x32cm
PACKING QTY: 4PCS/CTN
G.W./N.W.: 15.1/11.2KG/5
20/40/40HQ: 1350/2790/3240PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 1500W
110-120V 50Hz 1200W
PLATE SIZE: 28x17.6cm

FUNCTION:

- 2-SLICE PRESS GRILL
- COOL-TOUCH HANDLE
- POWER AND READY LIGHT INDICATORS
- DRIP TRAY FOR COLLECTING EXCESS OIL



MY-504

PACKING DETAILS:
GIFT BOX SIZE: 37x17.7x28.5cm
CARTON SIZE: 35x18.8x35.8cm
PACKING QTY: 4PCS/CTN
G.W./N.W: 1.5/1.2KG
20/40/40HQ: 1350/2790/3240PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 1500W
110-120V 60Hz 1200W
PLATE SIZE: 28x17.5cm



MY-506

PACKING DETAILS:
GIFT BOX SIZE: 38.5x28x35.5cm
CARTON SIZE: 37.5x18x35cm
PACKING QTY: 2PCS/CTN
G.W./N.W: 9x/7.4KG
20/40/40HQ: 610/1310/1520PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 2000W
110-120V 60Hz 1500W
PLATE SIZE: 29x24cm



MY-505

PACKING DETAILS:
GIFT BOX SIZE: 35.6x14.3x32.8cm
CARTON SIZE: 39x17x34.8cm
PACKING QTY: 4PCS/CTN
G.W./N.W: 9.2/7.2KG
20/40/40HQ: 1480/3060/3540PCS

SPECIFICATION:
POWER: 220-240V 50/60Hz 1500W
110-120V 60Hz 1000W
PLATE SIZE: 27.4x18cm

FUNCTION:
• 2 SLICE PRESS GRILL
• OPEN 180 DEGREE AS OPEN GRILL
• DRIP TRAY FOR COLLECTING EXCESS OIL
• POWER AND READY LIGHT INDICATOR
• PLATE SIZE: 27.4x18cm

FUNCTION:
• DETACHABLE NON-STICK COATED PLATES FOR EASY CLEANING AND DISHWASHER SAFE
• OPEN 180 DEGREE AS OPEN GRILL
• ADJUSTABLE TEMPERATURE CONTROL Knob
• DRIP TRAY FOR COLLECTING EXCESS OIL
• POWER AND READY LIGHT INDICATOR



FUNCTION&SPECIFICATION

• High speed fan air cycling technology can effectively reduce fat more than 80%
• More health recipe, the power will be shaft protection when you take out the frying pan.
• Adjustable temperature control (80-200°C)
• Adjustable time (0-30 min)
• Removable non-stick coating frying pan and food basket make easy cleaning
• 110-120V/220-240V/50/60Hz/1500W

MY-F002

PACKING DETAILS:
GIFT BOX SIZE: 25.5x23.3x35.5cm
CARTON SIZE: 53x27x33.5cm
PACKING QTY: 2PCS/CTN
20/40/40HQ: 1204/2388/2884PCS

SPECIFICATION:
POWER: 1200W
CAPACITY: 1.8L



MY-F001

PACKING DETAILS:
GIFT BOX SIZE: 35x28.5x36cm
CARTON SIZE: 36.5x38.8x38cm
PACKING QTY: 3PCS/CTN
20/40/40HQ: 756/1488/1728PCS

SPECIFICATION:
POWER: 1500W
CAPACITY: 3.5L



MY-F003

PACKING DETAILS:
GIFT BOX SIZE: 23.8x25.8x21.6cm
CARTON SIZE: 42.8x52.4x24cm
PACKING QTY: 4PCS/CTN
20/40/40HQ: 2240/4480/5504PCS

SPECIFICATION:
POWER: 650W
CAPACITY: 1.0L



MY-F003A

PACKING DETAILS:
GIFT BOX SIZE: 20.6x25.8x21.6cm
CARTON SIZE: 42.8x52.4x24cm
PACKING QTY: 4PCS/CTN
20/40/40HQ: 2240/4480/5504PCS

SPECIFICATION:
POWER: 650W
CAPACITY: 1.0L



FUNCTION

• COOK UP TO 17 EGGS AT ONCE
• HAVING POWER LIGHT AND AUTOMATIC BUZZER SWITCH CONTROL (STOP AND HEAT)
• WITH MEASURING CUP, STEAMER TRAY AND STAM RACK
• PERFECT FOR SOFT, MEDIUM OR HARD BOILED



DJ-001

PACKING DETAILS:
GIFT BOX SIZE: 26x13x22.5cm
CARTON SIZE: 54x49.5x42.4cm
PACKING QTY: 8PCS/CTN
G.W./N.W: 1.3/1.0KG
20/40/40HQ: 3488/7224/8320PCS

SPECIFICATION:
POWER: 40W
CAPACITY: 7 eggs



FUNCTION

• GRINDER FOR COFFEE BEANS, NUTS AND SPICES
• 11 BEARS TO ADJUST (6-20)
• LED POSITION INDICATOR
• STAINLESS STEEL HEAT BLADE GRINDING SYSTEM
• SAFE SWITCH WHEN LED IS NOT INSTALLED
• TRANSPARENT WINDOW



MJ-001

PACKING DETAILS:
GIFT BOX SIZE: 11x11x20.7cm
CARTON SIZE: 48.8x49.8x22.7cm
PACKING QTY: 20PCS/CTN
G.W./N.W: 1.4/1.2KG
20/40/40HQ: 9600/19800/22800PCS

SPECIFICATION:
POWER: 150W
CAPACITY: 70g




MJ-002

PACKING DETAILS:
GIFT BOX SIZE: 11x11x17.7cm
CARTON SIZE: 48.8x49.8x17.4cm
PACKING QTY: 24PCS/CTN
G.W./N.W: 1.4/1.2KG
20/40/40HQ: 11520/23640/27240PCS

SPECIFICATION:
POWER: 150W
CAPACITY: 40g

KITCHEN Blenders Mixers



**YDFP-001**

Full-size 1250ml food processor
with powerful 500-watt motor
Reversible slicing/shredding disc;
stainless-steel chopping blade; plastic dough tool
Full safety interlock
Modern & Elegance Variable switch with LED blue light
Dishwasher-safe bowl, lid, and blades;
internal cord storage

giftbox size(cm):42x24.5x28
Outer carton size(cm):51x44x30
pcs/ctn:2
20CY/40CY/40HQ(pcs):820/1716/2014

YDBL-001

Powerful 600-watt motor with 1600ml glass jar
Modern & Elegance Variable switch with LED blue light
Dishwasher-safe glass jar and lid
Internal cord storage
giftbox size(cm):41.6x23.6x28
Outer carton size(cm):49.2x43.6x30
pcs/ctn:2
20CY/40CY/40HQ(pcs):860/1796/2108

YDCJ-001

45-watt
Two direction motor
Snap-up spout prevents dripping
Easy to remove and clean
Internal cord storage
giftbox size(cm):15.6x15.6x21.3
Outer carton size(cm):33.2x33.2x44.6
pcs/ctn:8
20CY/40CY/40HQ(pcs):4488/9384/11016

**YDHM-002**

250-watt motor
 5 speed setting with turbo function
 More through mixing and heavy
 duty mixing performance
 Eject button for releasing
 beater&dough hooks
 Stylish plastic housing with chrome decorate part

giftbox size(cm): 18x8.5x15
 Outer carton size(cm): 38x27.5x32
 pcs/ctn: 12
 20CY/40CY/40HQ(pcs): 9876/20652/24240

YDHB-002

300-watt
 2 speed operation, soft-touch switch
 Stainless Steel blade
 Detachable plastic/S.S stick rod
 Stylish plastic housing with chrome decorate part

giftbox size(cm): 7x7x39.5
 Outer carton size(cm): 30x23x41.5
 pcs/ctn: 12
 20CY/40CY/40HQ(pcs): 11532/24120/28320

YDSM-002

600watt, low noise
 Variable stepless speed with pulse function
 Rotary switch control
 *pop-up*head lift
 4.5L stainless steel bowl
 Three mixing tool(whisk, beater and dough hook)
 Dishwasher-safe bowl, whisk, beater and dough hook
 Non slip feet
 Stylish plastic housing with chrome decorate part

giftbox size(cm): 40x25x35
 Outer carton size(cm): 52x42x37
 pcs/ctn: 2
 20CY/40CY/40HQ(pcs): 690/1432/1679

**YDHM-003**

YDHM-003
 Powerful 350-watt motor, low noise
 5 speed setting with turbo function
 More thorough mixing and heavy
 duty mixing performance
 Eject button for releasing
 beater & dough hooks.

giftbox size(cm): 19.5x10x17
 Outer carton size(cm): 41x32x19
 pcs/ctn: 6
 20CY/40CY/40HQ(pcs): 6600/13800/16200

YDHB-003

YDHB-003
 Powerful 500-watt DC motor, low noise
 2 speed operation, soft-touch switch
 Whole Stainless Steel stick rod & blade
 Detachable stick rod
 Stylish plastic housing with chrome decorate part

giftbox size(cm): 8x8x39.5
 Outer carton size(cm): 34x26x41.5
 pcs/ctn: 12
 20CY/40CY/40HQ(pcs): 9024/18852/22128

YDMC-003

YDMC-003
 150-watt AC motor food chopper for chopping, mincing,
 dicing, and more curved blade ensures precision cutting
 Durable 1-1/2-cup bowl; large one-touch speed button
 Safety-lock lid for secure operation;
 dishwasher-safe bowl, blade, and lid
 Stylish plastic housing with chrome decorate part

giftbox size(cm): 19.5x12.5x15.5
 Outer carton size(cm): 41x39.5x33
 pcs/ctn: 12
 20CY/40CY/40HQ(pcs): 6204/12900/15180

HAND MIXER**YDHM-008/008-1****YDHM-008/008-1**

Power: 200/250W
6 speed settings with turbo function
Including dough hooks and beaters

Loading details:
Dimension of gift box (cm): 19x10x18cm
Dimension of outer carton (cm): 39.5x31.5x19.5cm
Pcs / ctn: 6
20FT / 40FT / 40HQ: 6924 / 14340 / 16800

HAND MIXER SET**YDHM-008A****YDHM-008A**

Power: 300W
Speed button
Eject button
Including dough hooks and beaters
Detachable parts for easy cleaning

Loading details:
Dimension of gift box (cm): 25X14X21.5cm
Dimension of outer carton (cm): 51.5X44X23cm
Pcs / ctn: 6
20FT / 40FT / 40HQ: 3258 / 6750 / 7914

HAND BLENDER**YDHB-8003****YDHB-8003**

Power: 500W
 Speed button, press more for gradually more speed
 Detachable blending rod and stainless steel blades
 Parking stand while cooking
 Hanging loop

Loading details:
 Dimension of gift box (cm): 28.5x15x11cm
 Dimension of outer carton (cm): 31.5x29.5x35cm
 Pcs / ctn: 6
 20FT / 40FT / 40HQ: 5124 / 10662 / 12504

**YDHB-8003**

Power: 500W
 Speed button, press more for gradually more speed
 Detachable blending rod and stainless steel blades
 Parking stand while cooking
 Pureeing, whisking, chopping, grate and spiral slicing
 with just one appliance
 Spiral slices from apples, onions, carrots, zucchinis,
 cucumbers, cabbages, and more.

Loading details:
 Dimension of gift box (cm): 29.5x23x23cm
 Dimension of outer carton (cm): 47.5x31x47.5cm
 Pcs / ctn: 4
 20FT / 40FT / 40HQ: 1588 / 3304 / 3876



HAND BLENDER**YDHB-8001****YDHB-8001**

Power: 500W
 With stainless steel blending shaft;
 Stainless steel body decorating, s.s. brush plated up cover;
 S.S. whisk, plastic potato masher;
 500ml chopper, 700ml measuring cup;
 Storage rack

Loading details:

Dimension of gift box (cm): 35.5x20.3x26.6cm
 Dimension of outer carton (cm): 42.5x37x 55cm
 Pcs / ctn: 4
 20FT / 40FT / 40HQ: 1292/ 2680 / 3144

HAND BLENDER**YDHB-8002****YDHB-8002**

Power: 400W
 With stainless steel blending shaft;
 Whisk, chopper, measuring cup;
 500ml chopper; 700ml measuring cup;

Loading details:

Dimension of gift box (cm): 22.5x13.5x24.5cm
 Dimension of outer carton (cm): 42x24x 51cm
 Pcs / ctn: 6
 20FT / 40FT / 40HQ: 3264/ 6768 / 7932

HAND BLENDER**YW-0123****YW-0123**

Power:200W
 2 speed operation, with soft-touch switch
 Detachable foot
 Stainless steel blades for the blending
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling

Loading details:
 Dimension of gift box : 8 x 8 x 39 cm
 Dimension of outer carton : 34 x 26 x 40.5 cm
 Pcs / ctn : 12
 20CY/40CY/40HQ : 9720pcs/19152pcs/22320cps

HAND BLENDER**YW-0123****YW-0123 3 IN 1**

Power:200W
 2 speed operation, with soft-touch switch
 Stainless steel blades, whisk wire mesh
 With blending, whisking & chopping function
 Chopper bowl capacity : 0.5L
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling
 Blender cup capacity : 0.7L

Loading details:
 Dimension of gift box : 24 x 13.5 x 25 cm
 Dimension of outer carton : 42 x 25.5 x 52 cm
 Pcs / ctn : 6
 20CY/40CY/40HQ : 3060pcs/6120pcs/7230pcs



HAND BLENDER**YW-0123A****YW-0123A**

Power: 200W
 2 speed operation, with soft-touch switch
 Detachable foot
 Stainless steel blades for the blending
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling

Loading details:
 Dimension of gift box : 8 x 8 x 39 cm
 Dimension of outer carton : 34 x 26 x 40.5 cm
 Pcs / ctn : 12
 20CY/40CY/40HQ : 9720pcs/19152pcs/22320pcs

HAND BLENDER**YW-0123A****YW-0123A 3 IN 1**

Power: 200W
 2 speed operation, with soft-touch switch
 Stainless steel blades, whisk wire mesh
 With blending, whisking & chopping function
 Chopper bowl capacity : 0.5L
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling
 Blender cup capacity : 0.7L

Loading details:
 Dimension of gift box : 24 x 13.5 x 25 cm
 Dimension of outer carton : 42 x 25.5 x 52 cm
 Pcs / ctn : 6
 20CY/40CY/40HQ : 3060pcs/6120pcs/7230pcs



HAND BLENDER**YW-0123B****YW-0123B**

Power:200W
 2 speed operation, with soft-touch switch
 Detachable foot
 Stainless steel blades for the blending
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling

Loading details:

Dimension of gift box : 8 × 8 × 39 cm
 Dimension of outer carton : 34 × 26 × 40.5 cm
 Pcs / ctn : 12
 20CY/40CY/40HQ : 9720pcs/19152pcs/22320cps

HAND BLENDER**YW-0123B****YW-0123B 3 IN 1**

Power: 200W
 2 speed operation, with soft-touch switch
 Stainless steel blades, whisk wire mesh
 With blending, whisking & chopping function
 Chopper bowl capacity : 0.5L
 Optional:
 Stainless steel rod
 Rubber sprayed main body for handling
 Blender cup capacity : 0.7L

Loading details:

Dimension of gift box : 24 × 13.5 × 25 cm
 Dimension of outer carton : 42 × 25.5 × 52 cm
 Pcs / ctn : 6
 20CY/40CY/40HQ : 3060pcs/6120pcs/7230pcs



HAND BLENDER**YW-0123D/YW-0123E/YW-0123F****YW-0123D**

Power: 170W
One speed operation
Stainless steel blade

Loading details:
Dimension of gift box :
8 x 8 x 39 cm
Dimension of outer carton :
34.5 x 26 x 40.5cm
Pcs / ctn : 12
20CY/40CY/40HQ :
9144pcs/18996pcs/22320pcs

**YW-0123E**

Power: 170W
Two speed operation
Stainless steel blade

Loading details:
Dimension of gift box :
8 x 8 x 39 cm
Dimension of outer carton :
34.5 x 26 x 40.5cm
Pcs / ctn : 12
20CY/40CY/40HQ :
9144pcs/18996pcs/22320pcs

**YW-0123F**

Power: 170W
Two speed operation
Stainless steel blade

Loading details:
Dimension of gift box :
7.5 x 7.5 x 39 cm
Dimension of outer carton :
32 x 24.5 x 40.5cm
Pcs / ctn : 12
20CY/40CY/40HQ :
10560pcs/21912pcs/25680pcs

HAND BLENDER

YW-1123A



YW-1123A

Power: 500W
 2 speed with soft- touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel switch decoration
 Chopper cup capacity: 500ml
 Food processor with shredding, slicing and chopping function, bowl capacity: 1200ml
 Optional:
 Measuring cup: 700ml
 Double whisk

Loading details:
 Dimension of gift box :31 x 23.5 x 23 cm
 Dimension of outer carton : 48.5 x 33 x 47.5cm
 Pcs / ctn : 4
 20CY/40CY/40HQ : 1480pcs/3000pcs/3480pcs



shredding



slicing



chopping



HAND BLENDER

YW-1123B



YW-1123B

Power: 500W
 2 speed with soft- touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel switch decoration and main body
 Chopper cup capacity: 500ml
 Food processor with shredding, slicing and chopping function, bowl capacity: 1200ml
 Optional:
 Measuring cup: 700ml
 Double whisk

Loading details:
 Dimension of gift box :31 x 23.5 x 23 cm
 Dimension of outer carton : 48.5 x 33 x 47.5cm
 Pcs / ctn : 4
 20CY/40CY/40HQ : 1480pcs/3000pcs/3480pcs



shredding



slicing



chopping



HAND BLENDER**YDHB-003****YDHB-003**

Power: 500W, DC motor with lower noise
 2 speed with soft-touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel whisk wire mesh

Chopper cup capacity: 700ml
 Food processor with shredding, slicing and chopping function,
 bowl capacity: 1200ml
 Optional:
 Potato masher
 Beaker: 700ml

Loading details:
 Dimension of gift box : 31 x 23.5 x 23 cm
 Dimension of outer carton : 48.5 x 33 x 47.5cm
 Pcs / ctn : 4
 20CY/40CY/40HQ : 1480pcs/3000pcs/3480pcs

**HAND BLENDER****YDHB-002****YDHB-002**

Power: 300W
 2 speed with soft-touch switch
 Detachable foot
 Stainless steel blades and rod
 Silver coating decoration on the main body
 Chopper cup capacity: 500ml
 Measuring cup: 700ml
 optional:
 plastic rod with stainless steel blades

Loading details:
 Dimension of gift box : 24 x 13.5 x 25cm
 Dimension of outer carton: 42 x 25.5 x 52cm
 Pcs/ctn: 6
 20CY/40CY/40HQ: 3060pcs/6120pcs/7230pcs



HAND BLENDER**YDHB-005****YDHB-005**

Power: 800W
 with variable speed control
 2 speed with soft-touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel whisk wire mesh
 Silver coating decoration on the switch decoration
 Stainless steel main body
 Chopper cup capacity: 700ml
 Food processor with shredding, slicing and chopping function,
 bowl capacity: 1200ml
 Optional:
 Potato masher
 Beaker: 700ml

Loading details:

Dimension of gift box :31 × 23.5 × 23 cm
 Dimension of outer carton : 48.5 × 33 × 47.5cm
 Pcs / ctn : 4

20CY/40CY/40HQ : 1480pcs/3000pcs/3480pcs

**HAND BLENDER****YDHB-006****YDHB-006**

Power: 800W
 with variable speed control
 2 speed with soft-touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel whisk wire mesh
 Stainless steel decoration on the main body
 Chopper cup capacity: 700ml
 Food processor with shredding, slicing and chopping function,
 bowl capacity: 1200ml
 Optional:
 Potato masher
 Beaker: 700ml

Loading details:

Dimension of gift box :31 × 23.5 × 23 cm
 Dimension of outer carton : 48.5 × 33 × 47.5cm
 Pcs / ctn : 4

20CY/40CY/40HQ : 1480pcs/3000pcs/3480pcs



HAND BLENDER**YDHB-007****YDHB-007**

Power: 400W
 with variable speed control
 2 speed with soft- touch switch
 Detachable foot
 Stainless steel blade and rod
 Stainless steel whisk wire mesh
 with four detachable blades
 Chopper cup capacity: 500ml
 Measuring cup: 700ml

Loading details:
 Dimension of gift box : 24 x 13.5 x 25 cm
 Dimension of outer carton : 42 x 25.5 x 52 cm
 Pcs / ctn : 6
 20CY/40CY/40HQ : 3060pcs/6120pcs/7230pcs

**HAND BLENDER****YDHB-008****YDHB-008**

Power: 400W
 2 speed
 Detachable foot
 Stainless steel blade and rod
 Stainless steel whisk wire mesh
 with four detachable blades
 Chopper cup capacity: 500ml
 Measuring cup: 700ml

Loading details:
 Dimension of gift box : 24 x 13.5 x 25 cm
 Dimension of outer carton : 42 x 25.5 x 52 cm
 Pcs / ctn : 6
 20CY/40CY/40HQ : 3060pcs/6120pcs/7230pcs



HAND BLENDER**YDHB-009/009-1****YDHB-009/009-1**

Power:250W/400W,DC motor
 2 speed
 Detachable foot
 Stainless steel blade and rod,whisk

Chopper cup capacity:500ml
 Measuring cup:700ml
 Loading details:
 Dimension of gift box:24x13.5x25cm
 Dimension of outer carton:42x25.5x52cm
 Pcs/ctn:6
 20CY/40CY/40HQ:3060pcs/6120pcs/7230pcs

HAND BLENDER**YDHB-201****YDHB-201**

Power:400W,DC motor
 With variable speed control; On/Off button & trubo button
 Stainless steel main body
 Detachable foot
 Stainless steel blade and rod,whisk

Chopper cup capacity:500ml
 Measuring cup:700ml
 Loading details:
 Dimension of gift box:24x13.5x25cm
 Dimension of outer carton:42x25.5x52cm
 Pcs/ctn:6
 20CY/40CY/40HQ:3060pcs/6120pcs/7230pcs

HAND BLENDER**YDHB-301/301-1****YDHB-301/301-1**

Power:250W/400W,DC motor
2 speed,with variable speed control
Detachable foot
Stainless steel blade and rod,whisk

Chopper cup capacity:500ml
Measuring cup:700ml
Loading details:
Dimension of gift box:24x13.5x25cm
Dimension of outer carton:42x25.5x52cm
Pcs/ctn:6

20CY/40CY/40HQ:3060pcs/6120pcs/7230pcs

**HAND BLENDER****YDHB-302/302-1****YDHB-302/302-1**

Power:250W/400W,DC motor
2.speed
Detachable foot
Stainless steel blade and rod,whisk

Chopper cup capacity:500ml
Measuring cup:700ml
Loading details:
Dimension of gift box:24x13.5x25cm
Dimension of outer carton:42x25.5x52cm
Pcs/ctn:6

20CY/40CY/40HQ:3060pcs/6120pcs/7230pcs

**HAND BLENDER****YDHB-303/303-1****YDHB-303/303-1**

Power:250W/400W,DC motor
2.speed
Detachable foot
Stainless steel blade and rod,whisk

Chopper cup capacity:500ml
Measuring cup:700ml
Loading details:
Dimension of gift box:24x13.5x25cm
Dimension of outer carton:42x25.5x52cm
Pcs/ctn:6

20CY/40CY/40HQ:3060pcs/6120pcs/7230pcs



HAND MIXER

YW-1120C



YW-1120C

Power: 250W
5 speed settings
more through mixing and heavy duty mixing performance
eject button for releasing beaters & dough hooks
optional:
stand mixer with turning bowl, capacity:2L

Loading details:
Dimension of gift box: 19.5 x 9.8 x 15.5cm
Dimension of outer carton: 41 x 31.5 x 33cm
Pcs/ctn: 12
20CY/40CY/40HQ: 7752pcs/16200pcs/19020pcs

Loading details:
Dimension of gift box: 31 x 23.5 x 23cm
Dimension of outer carton: 48.5 x 33 x 47.5cm
Pcs/ctn: 4
20CY/40CY/40HQ: 1480pcs/3000pcs/3560pcs



HAND MIXER

YW-2120C



YW-2120C

Power: 350W
5 speed settings with turbo function
more through mixing and heavy duty mixing performance
eject button for releasing beaters & dough hooks
Optional:
With rotating bowl, stainless steel or plastic, capacity: 2L
plastic rod or stainless steel rod

Loading details:
Dimension of gift box: 21 x 10 x 17cm
Dimension of outer carton: 44 x 32 x 19cm
Pcs/ctn: 6
20CY/40CY/40HQ: 6174pcs/12918pcs/15168pcs

Loading details:
Dimension of gift box: 33x24.5x23cm
Dimension of gift outer carton: 50cmx35cmx47cm
Pcs/ctn: 6
20CY/40CY/40HQ: 1360pcs/2820pcs/3304pcs



HAND MIXER**YDHM-002****YDHM-002**

Power: 250W
 5 speed settings
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 silver coating for the plastic housing decoration

Loading details:
 Dimension of gift box: 18 x 8.5 x 15cm
 Dimension of outer carton: 38 x 27.5 x 32cm
 Pcs/ctn: 12
 20CY/40CY/40HQ: 9876pcs/20652pcs/24240pcs

HAND MIXER**YDHM-003****YDHM-003**

Power: 350W
 5 speed settings with turbo
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks

Loading details:
 Dimension of gift box: 19 x 10 x 17cm
 Dimension of outer carton: 41 x 32 x 19cm
 Pcs/ctn: 6
 20CY/40CY/40HQ: 6600pcs/13800pcs/16200pcs

HAND MIXER**YDHM-003A****YDHM-003A**

Power: 100W
 4 speed settings
 More through mixing and heavy duty performance
 Eject button for releasing beaters & dough hooks

Loading details:
 Dimension of gift box: 17.5x9x15cm
 Dimension of gift outer carton: 36.5x29x16
 Pcs/ctn: 6
 20CY/40CY/40HQ: 9882pcs/20470pcs/24000pcs

HAND MIXER

YDHM-005**YDHM-005**

Power: 600W
5 speed settings
more through mixing and heavy duty mixing performance
eject button for releasing beaters & dough hooks

Loading details:

Dimension of gift box: 20 x 10 x 18cm
Dimension of outer carton: 42 x 32 x 38cm
Pcs/ctn: 12
20CY/40CY/40HQ: 6732pcs/14076pcs/16524pcs

HAND MIXER

YDHM-006**YDHM-006**

Power: 100/200/250W
5 speed settings
more through mixing and heavy duty mixing performance
eject button for releasing beaters & dough hooks

Loading details:

Dimension of gift box: 20 x 10 x 18cm
Dimension of outer carton: 42 x 32 x 38cm
Pcs/ctn: 12
20CY/40CY/40HQ: 6732pcs/14076pcs/16524pcs

HAND MIXER

YDHM-007**YDHM-007**

Power: 100/200/250W
5 speed settings
more through mixing and heavy duty mixing performance
eject button for releasing beaters & dough hooks

Loading details:

Dimension of gift box: 20 x 10 x 18cm
Dimension of outer carton: 42 x 32 x 38cm
Pcs/ctn: 12
20CY/40CY/40HQ: 6732pcs/14076pcs/16524pcs

HAND MIXER**YW-0120A****YW-0120A**

Power: 200W

5 speed settings with turbo function
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 optional:

stand mixer with bowl, capacity:2L

stand mixer with turning bowl, capacity:2L

Loading details:

Dimension of gift box: 22 × 9.5 × 14cm

Dimension of outer carton:46 × 30.5 × 29.5cm

Pcs/ctn: 12

20CY/40CY/40HQ:8208pcs/16656pcs/19560pcs

Loading details:

Dimension of gift box: 31 × 23.5 × 23cm

Dimension of outer carton:48.5 × 33 × 47.5cm

Pcs/ctn: 4

20CY/40CY/40HQ:1480pcs/3000pcs/3560pcs

**HAND MIXER****YW-0120****YW-0120**

Power: 200W

5 speed settings

more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 optional:

stand mixer with bowl, capacity:2L

stand mixer with turning bowl, capacity:2L

Loading details:

Dimension of gift box: 20 × 9.5 × 17cm

Dimension of outer carton:42 × 30.5 × 36cm

Pcs/ctn: 12

20CY/40CY/40HQ:7176pcs/15000pcs/17616pcs

Loading details:

Dimension of gift box: 31 × 23.5 × 23cm

Dimension of outer carton:48.5 × 33 × 47.5cm

Pcs/ctn: 4

20CY/40CY/40HQ:1480pcs/3000pcs/3560pcs



HAND MIXER**YW-0120CN****YW-0120CN**

Power: 200W
 5 speed settings with turbo function
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 optional:
 stand mixer with turning bowl, capacity:2L
 plastic or stainless steel rod

Loading details:
 Dimension of gift box: 19 x 10 x 19cm
 Dimension of outer carton:40 x 31 x 39.5cm
 Pcs/ctn: 12
 20CY/40CY/40HQ:6732pcs/24076pcs/16524pcs

HAND MIXER**YW-0120C****YW-0120C**

Power: 200W
 6 speed settings with turbo function
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 optional:
 stand mixer with turning bowl, capacity:2L
 plastic or stainless steel rod

Loading details:
 Dimension of gift box: 31 x 23.5 x 23cm
 Dimension of outer carton:48.5 x 33 x 47.5cm
 Pcs/ctn: 4
 20CY/40CY/40HQ:1480pcs/3000pcs/3560pcs

**HAND MIXER****YW-2120A****YW-2120A**

Power: 350W
 8 speed settings with turbo function
 more through mixing and heavy duty mixing performance
 eject button for releasing beaters & dough hooks
 with LED display

Loading details:
 Dimension of gift box: 20.5 x 10 x 17.5cm
 Dimension of outer carton:43 x 32 x 19.5cm
 Pcs/ctn: 6
 20CY/40CY/40HQ:6156pcs/12870pcs/15108pcs

MINI BLENDER**YW-0121A/B**

YW-0121A

YW-0121B

YW-0121A/B

Power:200w
jar capacity:500ml max
stainless steel blade

loading details:
dimension of giftbox(cm):13.5x13.5x30
dimension of outer carton(cm):56x29x32
pcs/ctn:8
20CY/40CY/40HQ(pcs):4224/8840/10384

MINI CHOPPER**YDMC-003****YDMC-003**

150-watt AC motor food chopper for chopping, mincing, dicing, and more curved blade ensures precision cutting
Durable 1-1/2-cup bowl; large one-touch speed button
Safety-lock lid for secure operation;
dishwasher-safe bowl, blade, and lid with silver coating

loading details:
dimension of giftbox(cm):19.5x12.5x15.5
dimension of outer carton(cm):41x39.5x33
pcs/ctn:12
20CY/40CY/40HQ(pcs):6204/12900/15180

MINI CHOPPER**YDMC-002****YDMC-002**

Power: 35W
One-touch operation
1.5 cup capacity
Stainless steel blades
Safe-locking lid

Loading details:
Dimension of gift box (cm): 18.4x12.4x14.6cm
Dimension of outer carton (cm): 39x38.5x31.2cm
Pcs / ctn: 12
20FT / 40FT / 40HQ: 7164 / 14856 / 17400

MINI BLENDER

YDBL-003/YDBL-003A

**YDBL-003**

Powerful 300-watt AC motor, low noise
1 speed operation, soft-touch switch
detachable bottle changable lid
Capacity:0.5L

loading details:
giftbox size(cm):21.5x13x24.5cm
outer carton size(cm):42x23x51cm
Pcs/ctn:6
20CY/40CY/40HQ:3402pcs/7056pcs/8274pcs

**YDBL-003A**

Power:300W,low noise
1 speed operation,soft-touch switch
Detachable bottle
Capacity:0.6L

Loading details:
Dimension of gift box:34x18x21cm
Dimension of gift outer carton:56x35x44cm
Pcs/ctn:6
20CY/40CY/40HQ:1953pcs/4046pcs/4744pcs

CITRUS JUICER

CJ-001**CJ-001**

Power:18w
two direction rotating
plastic pulp control filter
power cord collection design
detachable transparent juice container:0.5L
optional attachment:transparent cover

loading details:
dimension of giftbox(cm):21x16.6x19
dimension of outer carton(cm):52x44x40
pcs/ctn:12
20CY/40CY/40HQ(pcs):3600/7536/8844

CITRUS JUICER

YDCJ-001**YDCJ-001**

45-watt
two direction motor
snap-up spout prevents dripping
easy to remove and clean
internal cord storage

loading details:
dimension of giftbox(cm):15.6x15.6x21.3
dimension of outer carton(cm):33.2x33.2x44.6
pcs/ctn:8
20CY/40CY/40HQ(pcs):4488/9384/11016

BLENDER

YDBL-001**YDBL-001**

Powerful 600-watt motor with 1600ml glass jar
modern & elegance variable switch with LED blue light
dishwasher-safe glass jar and lid
internal cord storage

loading details:

giftbox size(cm):41.6x23.6x28

outer carton size(cm):49.2x43.6x30

pcs/ctn:2

20CY/40CY/40HQ(pcs):860/1796/2108

FOOD PROCESSOR

YDFP-001**YDFP-001**

full-size 1250ml food processor
with powerful 500-watt motor
reversible slicing/shredding disc;
stainless-steel chopping blade;plastic dough tool
full safety interlock
modern & elegance variable switch with LED blue light
dishwasher-safe bowl, lid, and blades; internal cord storage

loading details:

giftbox size(cm):42x24 5x28

outer carton size(cm):51x44x30

pcs/ctn:2

20CY/40CY/40HQ(pcs):820/1716/2014



dough tool



chopping



shredding/slicing

STAND MIXER

YDSM-002

**YDSM-002**

600-watt, low noise
 variable stepless speed with pulse function
 rotary switch control
 "pop-up" head lift
 4.5L stainless steel bowl
 three mixing tools (whisk, beater & dough hook)
 dishwasher-safe bowl, whisk, beater & dough hook
 non-slip feet
 stylish plastic housing with chrome decorate part

loading details:

Dimension of gift box (cm): 40x25x35

Dimension of outer carton (cm): 52x42x37

Pcs / ctn : 2

20CY/40CY/40HQ (pcs): 690/1432/1679



dough hook



beater



whisk

EGG BOILER

YW-9915

**YW-9915**

power: 400W/350W

including measure cup

stainless steel heating plate

cooking 7 eggs

auto switch off & buzzer

removable lid & egg tray for easy cleaning

cooking soft & hard egg at will

on/off switch for stainless steel base

loading details:

Dimension of gift box(cm) :17.5x17x16.5

Dimension of outer carton(cm) : 53x37x18

Pcs / ctn : 6

20CY/40CY/40HQ (pcs): 4710/9852/11568



Steamer



Poacher



Cup



EGG BOILER

YDEB-001**YDEB-001**

Power: 300W
Suitable for 3 eggs;
Stainless steel accents; Adjustable timer with signal;
Boil-dry protection; On/off switch with indicator light;
Egg piercer; Measuring cup;
Lid with steam exhaust;
Detachable egg tray; Nonslip feet;
Cord storage; Integrated handles;

Loading details:
Dimension of gift box (cm): 21x9x15.5cm
Dimension of outer carton (cm): 44x19.5x17.5cm
Pcs / ctn: 6
20FT / 40FT / 40HQ: 7440 / 15440 / 18080

EGG BOILER

YDEB-002**YDEB-002**

Power: 300W
Suitable for 6 eggs; Stainless steel accents;
3 adjustable settings; Adjustable timer with signal;
Boil-dry protection;
On/off switch with indicator light;
Egg piercer; Measuring cup; Lid with steam exhaust;
Detachable egg tray; Nonslip feet; Cord storage;
Integrated handles;

Loading details:
Dimension of gift box (cm): 20.5X14X15cm
Dimension of outer carton (cm): 43X29.5X17cm
Pcs / ctn: 6
20FT / 40FT / 40HQ: 5160 / 10720 / 12600

EGG BOILER**YDEB-8001****YDEB-8001**

Power: 400W

Capacity: 6 eggs; Light signal and voice message for different results;

Storage compartment for measuring cup;

Lighted on/off switch;

Stainless steel pan with teflon coating;

Removable egg tray; Voice & Signal functions:

*Voice after 8 min. "Your eggs are now soft boiled"; (Soft eggs)

*Voice after 10 min.: "Your eggs are now medium boiled"; (Medium eggs)

*Voice after 15 min.: "Your eggs are now hard boiled. (Hard eggs)

Loading details:

Dimension of gift box (cm): 19x17.5x15cm

Dimension of outer carton (cm): 40x36.5x17cm

Pcs / ctn: 6

20FT / 40FT / 40HQ: 4512/ 9320 / 10920

MINI STEAMER**YDMS-001****YDMS-001**

Power: 450W

Capacity: Water tank – 500ml;

Plastic tray – 2.5L;

Overheat protection with restorable thermostat.



KITCHEN **Crockpots**

Color options



LY-2125

Capacity : 2x1.25QT
120v / 60Hz / 240W
Container loading info:
20GP-1120pcs / 40GP-2340pcs / 40HQ-2740pcs



LY-315

Capacity : 3x1.5QT
120v / 60Hz / 300W
Container loading info:
20GP-592pcs / 40GP-1184pcs / 40HQ-1440pcs



LY-325

Capacity : 3x2.5QT
120v / 60Hz / 420W
Container loading info:
20GP-432pcs / 40GP-864pcs / 40HQ-1080pcs



Cast iron
slow cooker



Capacity: 7QT
120v / 60Hz / 240W
Container loading info:
20GP-446pcs / 40GP-1396pcs / 40HQ-1636pcs



4QT - 8QT



LY-400

Capacity: 4.0QT
120v / 60Hz / 1800W
Container loading info:
20GP-126pcs / 40GP-246pcs / 40HQ-298pcs

LY-500

Capacity: 5.0QT
120v / 60Hz / 1900W
Container loading info:
20GP-194pcs / 40GP-306pcs / 40HQ-342pcs

LY-600

Capacity: 6.0QT
120v / 60Hz / 2200W
Container loading info:
20GP-260pcs / 40GP-485pcs / 40HQ-520pcs

LY-700

Capacity: 7.0QT
120v / 60Hz / 2400W
Container loading info:
20GP-328pcs / 40GP-644pcs / 40HQ-722pcs

LY-800

Capacity: 8.0QT
120v / 60Hz / 3000W
Container loading info:
20GP-465pcs / 40GP-930pcs / 40HQ-1050pcs



Capacity: 8.0QT
120v / 60Hz / 3000W
Container loading info:
20GP-465pcs / 40GP-930pcs / 40HQ-1050pcs



Capacity: 1.5QT
120v / 60Hz / 200W
Container loading info:
20GP-807pcs / 45GP-1810pcs / 40HQ-2096pcs



Capacity: 5.0QT (4QT & 3QT available)
120v / 60Hz / 190W
Container loading info:
20GP-1048pcs / 45GP-2064pcs / 40HQ-2422pcs



100% ALL NATURAL PALEO CERTIFIED STONEWARE INSERT



Capacity: 1.5QT
120v / 60Hz / 110W
Container loading info:
20GP-2584pcs / 40GP-5262pcs / 40HQ-6278pcs





LY-1500

Capacity : 1.5QT
120v / 60Hz / 110W
Container loading info :
20GP-2584pcs / 40GP-5262pcs / 40HQ-6278pcs



Capacity : 1.5QT
120v / 60Hz / 110W
Container loading info :
20GP-2584pcs / 40GP-5262pcs / 40HQ-6278pcs



LY-065

Capacity: 6.65QT
120v / 60Hz / 400W
Container loading info:
30GP-5600pcs / 40GP-11380pcs / 40HQ-13600pcs



Capacity: 4.0QT
120v / 60Hz / 360W
Container loading info:
30GP-1200pcs / 40GP-3800pcs / 40HQ-3930pcs



Capacity: 3.0QT
120v / 60Hz / 100W
Container loading info:
30GP-1048pcs / 40GP-2060pcs / 40HQ-2420pcs



Capacity: 7.0QT
120v / 60Hz / 240W
Container loading info:
30GP-900pcs / 40GP-1440pcs / 40HQ-1720pcs



Capacity: 7.0QT
120v / 60Hz / 240W
Container loading info:
30GP-900pcs / 40GP-1440pcs / 40HQ-1720pcs

COMICS



Capacity: 3.0QT
120v / 60Hz / 118W
Container loading info:
20GP-2400pcs / 40GP-3000pcs / 40HQ-6000pcs

Multi-functional Cooker

AC220-240V/AC120V/50Hz/60Hz
1300-1500W
Size: 414x385x210mm



Non-stick high temperature pot

Non-stick high temperature grill

Steaming plate



Capacity: 2.65QT
120v / 60Hz / 40W
Container loading info:
20GP-5000pcs
40GP-11800pcs
40HQ-13800pcs



Ceramic Steamer

AC220-240V/AC120V/50Hz/60Hz
1000-1200W
Size: 319x292x395mm





1.6L Slow Cooker

AC220-240V/AC120V/50/60Hz
250-280W
Size: 263x217x227(mm)

1.6L Slow Cooker

AC220-240V/AC120V/50/60Hz
110-150W
Size: 242x217x198(mm)



Ceramic Bakeware

AC220-240V/AC120V/50/60Hz
1300-1300W
Size: 468x261x200(mm)



THEIR EXQUISITE
CRAFTS AND
HUMAN DESIGN
MAKE PERFECT
CRYSTAL

KITCHEN **Blenders**





MODEL: HB510

Power: 600W or 800W
Multi Functional Hand Blender
2 speeds operation
ABS plastic housing
Optional accessories: chopper bowl, whisk, potato masher, and food processor bowl with stainless steel blade, plastic blade, and chopper disks, emulsify plate, spatula for slicing, emulsifying, dough, chopping, etc function.

MODEL: HB520-A

Power: 600W or 800W
Multi Functional Hand Blender
2 speeds operation
ABS plastic housing or Stainless steel with plastic housing are both available.
With blend, whisk and chop function

MODEL: HB520-B



MODEL: FP-001

Power: 650W
Stainless steel blade
1.5L blender jar, 1.2L plastic bowl
Multi-functional: blending, doughing, chopping, emulsifying, slicing, shredding
1. Emulsify plate
2. Fine slicer & julienne disc
3. Moving axle sleeve
4. Plastic blade
5. Rough slicer & julienne disc
6. Slicer & julienne disc
7. Stainless steel chopping blade



MODEL: PN-912

Power: 600-1000W
8830-8840 aluminum with copper motor or all copper motor, 600-1000W.
1.8L transparent glass jar, ABS and SS housing
6 pieces blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CB, CE, ERP, 2.0ROHS

Color box size: 261*9.5*37.5CM
Mass: 51.5*59.0*39CM
GW: 20.3KGS
NW: 19.6KGS
ICTN=4pcs 1*20GP+1440PCS 1*40HQ+3492PCS



Reversible blending (ice crusher)
Smoothie
Pulse and cleaning

stepless speeds in switch with LED light

MODEL: PN-913

Power: 600-1000W
8830-8840 aluminum with copper motor or all copper motor, 600-1000W.
1.8L transparent glass jar, ABS and SS housing
6 pieces blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CB, CE, ERP, 2.0ROHS

Color box size: 341*9.5*34.5CM
Mass: 66.5*40.5*26CM
GW: 17.3KGS
NW: 16KGS
ICTN=6pcs 1*20GP+1440PCS 1*40HQ+3492PCS



MODEL: PN-915

Power: 600-1000W
8830-8840 aluminum with copper motor or all copper motor, 600-1000W.
1.8L transparent glass jar, Stainless steel housing, with smoothie and reversible function.
Stepless speed in switch,
6 pieces blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CB, CE, ERP, 2.0ROHS

Color box size: 341*9.5*34.5CM
Mass: 66.5*40.5*26CM
GW: 17.3KGS
NW: 16KGS
ICTN=6pcs 1*20GP+1440PCS 1*40HQ+3492PCS



Smoothie
Reversible blending (ice crusher)
Pulse and cleaning
Stepless speeds in switch with LED light

MODEL: PN-925

Power: 400-900W
7030-8830 aluminum with copper motor or all copper motor, 400-900W.
1.5L transparent glass jar, plastic housing, 2 or 5 speeds or stepless speed regulating with LED light.
6 pieces blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: NO

Color box size: 25.5*18.5*33CM
Mass: 32.5*38.5*38.5CM
GW: 13.6KGS
NW: 10KGS
4pcs/lot: 20GP+1440PCS 40HQ+3492PCS



Smoothie
ice crusher
Smart button with *ON* and *Cleaning* function
Stepless speed regulating with LED light





MODEL:PN-822

Color box size: 31*25.3*40.5CM
 Meas: 52*132.5*40CM
 G.W: 13KG5
 N.W: 11KG5
 1CTN=2PCS 1*20GP=840PCS 1*40HQ=2040PCS



Q:0L PC Jar(Plastic base)
 Power: 1500W
 0.54L aluminium with copper motor or all copper motor, 1500W.
 2L transparent PC jar, ABS plastic housing, stepless speed in switch, with pulse.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: CE, CB, EPR 2.0ROHS

- Feature:**
1. Variable Speed Control creates precise textures from coarse to ultra-smooth
 2. Pulse Feature starts and stops on command to refresh recipes and provide added texture control
 3. Powerful, high-performance motor propels blades through tough ingredients to create the highest quality blends
 4. Metal drive system provides maximum durability and won't wear like plastic
 5. Low profile, 0.4-cu. capacity container is perfect for meals and entertaining and easily stores under most cabinets
 6. Spill-proof lid with removable lid plug seal securely, allowing ingredients to be added while processing
 7. Specially designed tamper allows for the continuous processing of thick, dense ingredients



MODEL:PN-823

Color box size: 31.2*25.3*40.9CM
 Meas: 52.1*32.5*42.4CM
 G.W: 12KG5
 N.W: 11KG5
 1CTN=2PCS 1*20GP=824PCS 1*40HQ=2000PCS



MODEL:PN-660

Power: 200W
 5425, 5430 full copper motor, 200W, with safety switch
 600ml unbreakable BPA FREE jar, ABS housing.
 Cross detachable stainless steel blade, easy to clean.
 Certificate:GS, CE, CB, ROHS, LFGB, PAH, EPR

Color box size: 22*13*22cm
 Meas: 67.5*40.5*23.5cm
 G.W: 13.2kg5
 N.W: 12.2kg5
 1CTN=9PCS 1*20GP=3924PCS 1*40HQ=9540PCS



MODEL:PN-670



BC-660

Power: 250W
 5430 all copper motor, 200W, with micro switch.
 ABS housing, 1 speed, chopper and blender function.
 Chopper: 1.5L, AS/PS transparent plastic jar. Blender: 0.6L unbreakable BPA FREE jar, with cross detachable stainless steel blade, easy to clean.
 Safe switch: NO
 Certificate: NO

Color box size: 26.5*19*24.3cm
 Meas: 54.5*38.5*26cm
 G.W: 13.2kg5
 N.W: 12.8kg5
 1CTN=4PCS 1*20GP=2000PCS 1*40HQ=4880PCS



MODEL:PN-600



MODEL:PN-600S



MODEL:PN-600(2 IN 1)

Power: 200-250W
 Personal blender(600)
 5425, 5430, 5435 all copper motor or AC motor, 200-250W
 0.4L PET / PCTG / SS unbreakable BPA FREE jar, ABS housing, with micro switch.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: GS, CE, EMC, LVD, EMF, CB, 2.0ROHS, LFGB, PAH, EPR, DGCCF



Single jar:
 Color box size: 22*13*22CM
 Meas: 67.5*40.5*23.5CM
 G.W: 13.2KG5
 N.W: 12.2KG5
 1CTN=9PCS 1*20GP=3924PCS 1*40HQ=9540PCS

Two jar:
 Color box size: 20.8*15.5*24.3CM
 Meas: 48.5*37.2*26CM
 G.W: 10KG5
 N.W: 8KG5
 1CTN=4PCS 1*20GP=3102PCS 1*40HQ=7602PCS



MODEL:PN-630

Power: 200-300W
 5425, 5430, 5435, 6330 all copper motor or AC motor, 200-300W.
 0.4L PET / PCTG / SS unbreakable BPA FREE jar.
 ABS housing or ABS/SS housing, 1 speed with push switch.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: GS, CE, EMC, LVD, EMF, CB, 2.0ROHS, LFGB, PAH, EPR, DGCCF

Color box size: 22*13*22CM
 Meas: 67.5*40.5*23.5CM
 G.W: 13.2KG5
 N.W: 12.2KG5
 1CTN=9PCS 1*20GP=3924PCS 1*40HQ=9540PCS



MODEL:PN-630S



MODEL:PN-650

Power: 200-230W
 5425, 5430, 5435 all copper motor or AC motor, 200-230W.
 0.4L PET / PCTG / SS unbreakable BPA FREE jar.
 ABS housing, with micro switch.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: GS, CE, EMC, LVD, EMF, CB, 2.0ROHS, LFGB, PAH, EPR, DGCCF

Color box size: 22*13*22CM
 Meas: 67.5*40.5*23.5CM
 G.W: 13.2KG5
 N.W: 12.2KG5
 1CTN=9PCS 1*20GP=3924PCS 1*40HQ=9540PCS



Personal blender(0.6)



MODEL:PN-610/610S

Power: 200-250W
 S42S, S430, S435 all copper motor or AC motor, 200-250W.
 0.6L PET / PCTG / SS unbreakable BPA FREE jar, ABS housing, with micro switch.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: GS, CE(EMC, LVD, EHP), CB, 2.0ROHS, LFGB, PWH, EHR, DGCCRF

Color box size: 22*13*22CM
 Meas: 67.5*40.5*23.5CM
 G.W: 1.3KGS
 N.W: 1.2KGS
 1CTN= 9PCS 1*20GP= 3924PCS 1*40HQ= 9540PCS



MODEL:PN-620/620S

Power: 200-250W
 S42S, S430, S435 all copper motor or AC motor, 200-250W.
 0.6L PET / PCTG / SS unbreakable BPA FREE jar, ABS housing, 2 speeds with pulse.
 Cross detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: GS, CE(EMC, LVD, EHP), CB, 2.0ROHS, LFGB, PWH, EHR, DGCCRF

Color box size: 22*13*22CM
 Meas: 67.5*40.5*23.5CM
 G.W: 1.3KGS
 N.W: 1.2KGS
 1CTN= 9PCS 1*20GP= 3924PCS 1*40HQ= 9540PCS

MODEL: PN-501



Power: 250-500W
 7020-7030 aluminum with copper motor or all copper motor.
 1.5L transparent PS jar or glass jar, PP housing, 2 speeds with pulse.
 Cross blade detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: NO

Color box size: 19*17.5*37CM
 Meas: 54*39.5*38.5CM
 G.W: 1.1KGS
 N.W: 1.0KGS
 6pcs/ctn 20GP=1992PCS 40HQ=8842PCS



MODEL: PN-2876P

MODEL: PN-2876G



Power: 250-500W
 7020-7030 aluminum with copper motor or all copper motor, 250-500W.
 1.5L transparent PS jar (can with tap), or 1.5L glass jar, PP housing,
 2 speeds / 5 speeds with pulse.
 Cross blade detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: CE, CB, EHP, 2.0ROHS

Color box size: 17.6*17.6*40.1CM
 Meas: 56.1*36.7*41.8CM
 G.W: 1.2KGS
 N.W: 1.1KGS
 6pcs/ctn 20GP=2016PCS 40HQ=4902PCS

Color box size: 22.5*19*31.2CM
 Meas: 46.5*39.5*32.2CM
 G.W: 1.2KGS
 N.W: 1.1KGS
 4pcs/ctn 20GP=1860PCS, 40HQ=4520PCS



MODEL: PN-802

Power: 450-600W
 8020, 8025, 8030 aluminum with copper motor or all copper motor, 450W-600W.
 1.25L or 1.5L transparent glass jar, ABS housing, 3 speeds with pulse, tact switch.
 Cross blade on three layer detachable stainless steel blade, easy to clean.
 Safe switch: NO
 Certificate: NO

Color box size: 23.2*19*34.5 CM
 Meas: 47.0*36.3*36.5 CM
 G.W: 1.57Kgs
 N.W: 1.47Kgs
 1ctn= 4pcs 1x20=1644pcs 1x40=3936pcs



MODEL:PN-601

Power: 120W
 300ml plastic jar, single one, plastic housing, can inject any color, cross stainless steel blade, with filter.
 Small size, portable and multi use, can used as common cup and juice blender.
 Can mix kinds of fruit and vegetables. Healthy and microelement friendly. Safety. Double safety protection switch, and charge/discharge protection. Quick speed, can make a cup of juice within 1 minute. Can repeat use when fully charged. And easy for charge when battery used up.

Color box size: 8.7*8.7*24.5CM
 Meas: 44*35.5*25CM
 G.W: 1.1KGS
 N.W: 1.0KGS
 1CTN= 20PCS 1*20GP= 13800PCS 1*40HQ=33300PCS



MODEL: PN-819

Power: 300-350W
 7025 aluminum with copper motor or all copper motor, 300-350W.
 1.0L transparent Glass jar, ABS housing, 2 speeds with pulse.
 Cross blade detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: CE, CB, EHP, 2.0ROHS

Color box size: 20.5*15.5*31CM
 Meas: 48*42.5*32.5CM
 G.W: 1.1KGS
 N.W: 1.0KGS
 1CTN= 6PCS 1*20GP=2310PCS 1*40HQ=5604PCS



MODEL: PN-Y81P

MODEL: PN-Y81G

Power: 300-500W
 7025-7030 aluminum with copper motor or all copper motor, 300-500W.
 1.5L transparent PS jar or 1.5L glass jar, ABS housing,
 2 speeds / 5 speeds with pulse.
 Cross blade detachable stainless steel blade, easy to clean.
 Safe switch: YES
 Certificate: CE, CB, EHP, 2.0ROHS

Color box size: 21*18.5*38CM
 Meas: 57.3*45.0*39CM
 G.W: 1.2KGS
 N.W: 1.1KGS
 6pcs/ctn 20GP=2016PCS 40HQ=4902PCS





MODEL: PN-2836P

MODEL: PN-2836D

MODEL: PN-2836G

Power: 250-500W
7020-7030 aluminum with copper motor or all copper motor, 250-500W.
1.5L transparent PS jar with or without tap, PP housing.
2 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

Power: 250-500W
7020-7030 aluminum with copper motor or all copper motor, 250-500W.
Jar: 1.5L transparent PS jar, can with or without tap.
Or 1.5L Glass jar, PP housing, 2 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

PN-2836P/2836D
Color box size: 17.6*17.6*40.2CM
Meas: 54.3*36.7*41.7CM
G.W: 1.2KG5
N.W: 1.1KG5
Pcs/ctn: 20GP=202PCS 40HQ=491PCS

PN-2836G
Color box size: 17.6*17.6*40.3CM
Meas: 54.3*36.7*42.3CM
G.W: 1.2KG5
N.W: 1.1KG5
Pcs/ctn: 20GP=180PCS 40HQ=435PCS



MODEL: PN-2816P

MODEL: PN-2816D

MODEL: PN-2816G

Power: 250-500W
7020, 7025, 7030 aluminum with copper motor or all copper motor, 250-500W.
Plastic jar: 1.5L PS/AS/PC plastic jar with or without dispenser; Glass jar: 1.5L with grinder function, ABS housing, with grinder function, 4 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), CB, 2.0ROHS, ERP, PPA, LFGB, ETL

PN-2816P/2816D
Color box size: 18.5*18.5*37.7CM
Meas: 57*40.5*39.2CM
G.W: 1.2KG5
N.W: 1.1KG5
1CTN=6PCS 1*20GP=180PCS 1*40HQ=450PCS

PN-2816G
Color box size: 23.8*19*30.2CM
Meas: 48.1*39.5*31.2CM
G.W: 1.1KG5
N.W: 1.2KG5
1CTN=4PCS 1*20GP=182PCS 1*40HQ=442PCS



MODEL: PN-2856P

MODEL: PN-2856D

MODEL: PN-2856G

Power: 250-500W
7020-7030 aluminum with copper motor or all copper motor, 250-500W.
1.5L transparent PS jar with or without tap, PP housing.
10 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

Power: 250-500W
7020-7030 aluminum with copper motor or all copper motor, 250-500W.
Jar: 1.5L transparent PS jar, can with or without tap.
Or 1.5L Glass jar, PP housing, 10 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

PN-2856P/2856D
Color box size: 17.6*17.6*40.2CM
Meas: 54.3*36.7*41.7CM
G.W: 1.2KG5
N.W: 1.1KG5
Pcs/ctn: 20GP=202PCS 40HQ=491PCS

PN-2856G
Color box size: 17.6*17.6*40.3CM
Meas: 54.3*36.7*42.3CM
G.W: 1.2KG5
N.W: 1.1KG5
Pcs/ctn: 20GP=180PCS 40HQ=435PCS



MODEL: PN-888P

MODEL: PN-888D

MODEL: PN-888G

Power: 250-500W
7025, 7030 aluminum with copper motor or all copper motor, 250-500W.
1.5L transparent PS/AS/PC jar, with grinder function, ABS plastic housing.
3 speeds without pulse or 4 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), 2.0ROHS, CB, LFGB, ERP, PPA

PN-888P/888D
Color box size: 18*18*39CM
Meas: 55.5*35.5*40.5CM
G.W: 1.3KG5
N.W: 1.2KG5
1CTN=6PCS 1*20GP=180PCS 1*40HQ=450PCS

PN-888G
Color box size: 24.5*17.5*31.5CM
Meas: 50.5*37.5*28CM
G.W: 1.3KG5
N.W: 1.2KG5
1CTN=4PCS 1*20GP=185PCS 1*40HQ=441PCS



MODEL: PN-2826P

MODEL: PN-2826D

MODEL: PN-2826G

Power: 250-500W
7020, 7025, 7030 aluminum with copper motor or all copper motor, 250-500W.
Plastic jar: 1.5L PS/AS/PC plastic jar with or without dispenser; Glass jar: 1.5L with grinder function, ABS housing, 4 or 10 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), CB, 2.0ROHS, ERP, PPA, LFGB, ETL, DGCRF

PN-2826P/2826D
Color box size: 20*18*39.2CM
Meas: 57.3*41.3*39.2CM
G.W: 1.2KG5
N.W: 1.1KG5
1CTN=6PCS 1*20GP=180PCS 1*40HQ=450PCS

PN-2826G
Color box size: 24.3*18.8*30.8CM
Meas: 50.1*35.1*32.3CM
G.W: 1.1KG5
N.W: 1.0KG5
1CTN=4PCS 1*20GP=185PCS 1*40HQ=450PCS



MODEL: PN-639P

MODEL: PN-639PB

Power: 300-750W
7023, 7030, 8820 aluminum with copper motor or all copper motor, 300-750W.
1.5L transparent PS/AS/PC jar, with grinder or chopper function, ABS plastic housing, 2 or 5 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), 2.0ROHS, CB, LFGB, ERP, PPA, DGCRF

Color box size: 20*17*38.5CM
Meas: 52.3*41.5*40CM
G.W: 1.2KG5
N.W: 1.1KG5
1CTN=6PCS 1*20GP=193PCS 1*40HQ=462PCS



MODEL: PN-2866P

MODEL: PN-2866D

MODEL: PN-2866G

Power: 250-500W
7020, 7025, 7030 aluminum with copper motor or all copper motor, 250-500W.
Plastic jar: 1.5L PS/AS/PC plastic jar with or without dispenser; Glass jar: 1.5L with grinder function, ABS housing, with grinder function, 4 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), CB, 2.0ROHS, ERP, PPA, LFGB, ETL

PN-2866P/2866D
Color box size: 19*17.5*38CM
Meas: 54*39.5*39.5CM
G.W: 1.1KG5
N.W: 1.1KG5
1CTN=6PCS 1*20GP=192PCS 1*40HQ=462PCS

PN-2866G
Color box size: 22.3*19*32.3CM
Meas: 45.2*39.5*33.8CM
G.W: 1.4KG5
N.W: 1.3KG5
1CTN=4PCS 1*20GP=182PCS 1*40HQ=446PCS



MODEL: PN-639G

MODEL: PN-639GB

Power: 300-750W
7025, 7030, 8820 aluminum with copper motor or all copper motor, 300-750W.
1.5L transparent glass jar, with grinder or chopper function, ABS plastic housing, 2 or 5 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC(LVD,EMF), 2.0ROHS, CB, LFGB, ERP, PPA, DGCRF

Color box size: 22.3*19*32.3CM
Meas: 46.0*40.0*33.8CM
G.W: 1.3KG5
N.W: 1.2KG5
1CTN=4PCS 1*20GP=185PCS 1*40HQ=446PCS

CE CB Blender(1.5l)with grinder



MODEL:PN-618P

MODEL:PN-618G

Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 2 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, CB, FDA, ERP, PAH, ETL, DGC/CF

PN-618P/618P/619D
Color box size: 20*18*39CM
Meas: 55.5*42.5*39.5CM
G.W: 1.8KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1800PCS 1*40HQ=4374PCS

PN-618G/619G
Color box size: 22.5*19*32.3CM
Meas: 45.9*39.5*32.3CM
G.W: 1.3KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1824PCS 1*40HQ=4440PCS

MODEL:PN-619P

MODEL:PN-619D

MODEL:PN-619G



CE CB



MODEL:PN-688P



Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 8/10/12 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, CB, FDA, ERP, PAH, ETL, DGC/CF

Color box size: 24*18.5*32.5CM
Meas: 49.5*38.5*34CM
G.W: 1.8KGS
N.W: 1.5KGS
1CTN=4PCS 1*20GP=1760PCS 1*40HQ=4232PCS

Color box size: 22.5*18.5*32.5CM
Meas: 48.5*38.5*34CM
G.W: 1.4KGS
N.W: 1.3KGS
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4300PCS



MODEL:PN-688G

Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 2 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH

Color box size: 23.5*18.5*32.5CM
Meas: 48.5*38.5*34CM
G.W: 1.3KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4300PCS

Color box size: 24*18.5*32.5CM
Meas: 49.5*38.5*34CM
G.W: 1.5KGS
N.W: 1.3KGS
1CTN=4PCS 1*20GP=1760PCS 1*40HQ=4232PCS



MODEL:PN-689G



MODEL:PN-668P

CE CB FDA

Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 6/10 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ETL, FDA, ERP, PAH, ETL, DGC/CF

Color box size: 20.5*18*38CM
Meas: 55.5*42.5*39.5CM
G.W: 1.5KGS
N.W: 1.1KGS
1CTN=4PCS 1*20GP=1800PCS 1*40HQ=4380PCS

Color box size: 24.2*19*30.2CM
Meas: 49.9*39.5*31.7CM
G.W: 1.8KGS
N.W: 1.4KGS
1CTN=4PCS 1*20GP=1800PCS 1*40HQ=4352PCS

MODEL:PN-668P CE CB



MODEL:PN-669P

Power: 300-500W
7025, 7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 2 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH

Color box size: 20.5*18*38CM
Meas: 55.5*42.5*39.5CM
G.W: 1.2KGS
N.W: 1.1KGS
1CTN=4PCS 1*20GP=1800PCS 1*40HQ=4380PCS

Color box size: 24.2*19*30.2CM
Meas: 49.9*39.5*31.7CM
G.W: 1.8KGS
N.W: 1.4KGS
1CTN=4PCS 1*20GP=1800PCS 1*40HQ=4352PCS

MODEL:PN-669P CE CB



MODEL:PN-669G



MODEL:PN-Y82P

CE CB

Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 2 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, LFGB, ERP, PAH, CB, DGC/CF

Color box size: 21*20*40CM
Meas: 61.5*43.5*41.5CM
G.W: 1.3KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1512PCS 1*40HQ=3672PCS

Color box size: 23.7*19.5*31.7CM
Meas: 48.9*40.5*33.2CM
G.W: 1.5KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1700PCS 1*40HQ=4136PCS

MODEL:PN-Y82G



MODEL:PN-Y83P

Power: 300-500W
7025, 7030 aluminium with copper motor or all copper motor, 300-500W
1.5L transparent PS/AS/PC/glass jar, with grinder or chopper function, ABS plastic housing, 6/10 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE/EMC, LVD, EMF, 2.0ROHS, FDA, CB, LFGB, ERP, PAH, ETL, DGC/CF

Color box size: 23.7*19.5*31.7CM
Meas: 48.9*40.5*33.2CM
G.W: 1.3KGS
N.W: 1.2KGS
1CTN=4PCS 1*20GP=1512PCS 1*40HQ=3672PCS

Color box size: 21*20*40CM
Meas: 61.5*43.5*41.5CM
G.W: 1.1KGS
N.W: 1.0KGS
1CTN=4PCS 1*20GP=1512PCS 1*40HQ=3672PCS

MODEL:PN-Y83P



MODEL:PN-Y83P





MODEL:PN-Y46P

Power: 250-450W
7020, 7025, 7028 aluminium with copper motor or all copper motor, 250-450W.
1.5L transparent PS/AS glass jar, with grinder or chopper function, can with filter.
PP plastic housing, 4 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE, EMC, LVD, EMF, 2.0ROHS, PM, LFGB, ERP, CB, DGCCRF

Color box size: 17*17*33CM
Mass: 22.5*15.5*40.3CM
G.W: 12.8KGS
N.W: 11.8KGS
1CTN=6PCS
1*20GP=2226PCS
1*40HQ=3480PCS

Color box size: 23.5*19*31.8CM
Mass: 48.5*19.5*33.3CM
G.W: 12.8KGS
N.W: 11.8KGS
1CTN=6PCS
1*20GP=1756PCS
1*40HQ=4264PCS

CE CB

MODEL:PN-Y46G



MODEL:PN-1831P

Power: 250-500W
7020, 7025, 7030 aluminium with copper motor or all copper motor, 250-500W.
1.5L transparent PS/AS glass jar, with grinder or chopper function, can with filter.
PP plastic housing, 3 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

Color box size: 17.6*17.6*40.3CM
Mass: 54.3*56.7*41.8CM
G.W: 12.8KGS
N.W: 11.8KGS
1CTN=6PCS
1*20GP=2016PCS
1*40HQ=4032PCS

Color box size: 23.5*19*31.8CM
Mass: 48.5*19.5*33.3CM
G.W: 12.8KGS
N.W: 11.8KGS
1CTN=6PCS
1*20GP=1756PCS
1*40HQ=4264PCS



MODEL:PN-1831G



MODEL:PN-2815P

Power: 250-300W
7020, 7025 aluminium with copper motor or all copper motor, 250-300W.
1.5L PS/glass jar, with grinder function, ABS plastic housing.
3 speeds.
Cross detachable blade, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 21.9*18.5*31CM
Mass: 20.7*45*32.2CM
G.W: 12.8KGS
N.W: 11.8KGS
1CTN=6PCS
1*20GP=2040PCS
1*40HQ=4080PCS

MODEL:PN-2815G

Color box size: 22.5*19*30.5CM
Mass: 45.9*19.5*32CM
G.W: 18.5KGS
N.W: 13.5KGS
1CTN=4PCS
1*20GP=1928PCS
1*40HQ=4688PCS



MODEL:PN-210P

Power: 300-450W
7025, 7028 aluminium with copper motor or all copper motor, 300-450W.
1.25L transparent PS/glass jar, with grinder function, ABS plastic housing, 2 speeds with pulse.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE, EMC, LVD, EMF, 2.0ROHS, LFGB, ERP, PAH

Color box size: 23.7*18*32.7CM
Mass: 48.9*19.5*34.2CM
G.W: 11.8KGS
N.W: 9KGS
1CTN=4PCS
1*20GP=1700PCS
1*40HQ=4120PCS

MODEL:PN-210G

Color box size: 23.7*19*32.7CM
Mass: 48.9*19.5*34.2CM
G.W: 18.5KGS
N.W: 13.5KGS
1CTN=4PCS
1*20GP=1700PCS
1*40HQ=4120PCS



CE CB



MODEL:PN-999P

Power: 250-350W
7028, 7025 aluminium with copper motor or all copper motor, 250W, 350W.
1.5L PS/glass jar, with grinder function, ABS plastic housing, 6 buttons with 4 speeds or 4 buttons with 2 speeds.
Big jar with cross blade, grinder with flat blade, easy to clean.
Safe switch: NO
Certificate: NO

PN-999P
Color box size: 19.5*16.5*35CM
Mass: 51*46.5*36.5CM
G.W: 10.8KGS
N.W: 8.8KGS
1CTN=6PCS
1*20GP=2318PCS
1*40HQ=4636PCS

PN-999P (3 IN 1)
Color box size: 32.8*16.5*25CM
Mass: 51*36.5*31.5CM
G.W: 11.5KGS
N.W: 10.5KGS
1CTN=6PCS
1*20GP=1920PCS
1*40HQ=4560PCS

PN-999G
Color box size: 29*16.7*37.5CM
Mass: 41*31.4*39KGS
G.W: 13.5KGS
N.W: 12.5KGS
1CTN=4PCS
1*20GP=1980PCS
1*40HQ=4880PCS

MODEL:PN-999P (3 IN 1)



CE CB

MODEL:PN-808C

Power: 400W
S440 aluminium with copper motor or all copper motor, 400W.
1L ABS plastic jar, ABS plastic housing.
Cross detachable blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

Color box size: 15*14.2*35.3CM
Mass: 48.1*31.5*37CM
G.W: 10.8KGS
N.W: 9.8KGS
1CTN=6PCS 1*20GP=3274PCS 1*40HQ=7988PCS



MODEL:PN-808S

Power: 400W
7025 aluminium with copper motor or all copper motor, 400W.
Multi-function food processor/blender, 1.5L plastic jar, grinder, juicer, ABS plastic housing, Chopper, soybean miller, etc.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS

Color box size: 34*36.5*36.7CM
Mass: 48.2*14.5*28.2CM
G.W: 18.4KGS
N.W: 15.4KGS
1CTN=4PCS 1*20GP=1064PCS 1*40HQ=2584PCS

MODEL:PN-808P

Multi-function food processor
Blend/Grinder/Juicer/Chopper/Soybean miller
Micro-ultra-tech
CE CB



MODEL:PN-999G



MODEL:PN-Y6BT

Power: 500-800W
7000-8820 aluminum with copper motor or all copper motor, 500-800W
1.5L transparent glass jar, stainless steel housing, 6 speeds with pulse, tact switch with LED light and auto stop function.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: NO

Color box size: 23.2*19*34.5CM
Meas: 47.8*19.3*35.6CM
GW: 16.7KG
NW: 11.7KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4100PCS



MODEL:PN-917

CE CB

Power: 500-800W
7000-8820 aluminum with copper motor or all copper motor, 500W-800W
1.5L transparent glass jar, aluminum alloy with chrome housing, with grinder function, 6 speeds with pulse, tact switch, with LED light and auto stop function. Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB

Color box size: 22.7*19*33.5CM
Meas: 46.9*19.3*34CM
GW: 16.7KG
NW: 11.7KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4300PCS



MODEL:PN-687G

CE CB

Power: 300-750W
7000-8820 aluminum with copper motor or all copper motor, 500W-750W
1.5L transparent glass jar, ABS plastic housing, with grinder function, 6 speeds with pulse, tact switch, with LED light and auto stop function.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, EMC, LVD, EMI, CB, 2.0KOH, LFGB, ERP, PAH, DGC, CF

Color box size: 23.2*18.5*32.5CM
Meas: 46.3*18.2*31.6CM
GW: 14.6KG
NW: 11.0KG
1CTN=4PCS 1*20GP=1600PCS 1*40HQ=4000PCS



MODEL:PN-Y8BT

Power: 500-800W
7000-8820/8825 aluminum with copper motor or all copper motor, 500-800W
1.5L transparent glass jar, aluminum alloy with spray color or chrome housing, 6 speeds with pulse, tact switch, with LED light and auto stop function.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: NO

Color box size: 23.2*18.5*32.5CM
Meas: 46.3*18.2*31.6CM
GW: 14.6KG
NW: 11.0KG
1CTN=4PCS 1*20GP=1600PCS 1*40HQ=3930PCS



MODEL:PN-916

Power: 500-800W
7000-8820/8825 aluminum with copper motor or all copper motor, 500-800W
1.5L transparent glass jar, aluminum alloy with spray color or chrome housing, 6 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 23.2*19*34.5CM
Meas: 47.8*19.3*35.6CM
GW: 16.7KG
NW: 11.7KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4100PCS



MODEL:PN-918

Power: 500-800W
7000-8820/8825 aluminum with copper motor or all copper motor, 500-800W
1.5L transparent glass jar, aluminum alloy with spray color or chrome housing, 6 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 22.7*19*33.5CM
Meas: 46.9*19.3*34CM
GW: 16.7KG
NW: 11.7KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4300PCS



MODEL:PN-919

Power: 300-800W
7000-8820/8825 aluminum with copper motor or all copper motor, 500-800W
1.5L transparent glass jar, aluminum alloy with spray color or chrome housing, 6 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 23.2*19*34.5CM
Meas: 47.8*19.3*35.6CM
GW: 16.7KG
NW: 11.7KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4300PCS

MODEL:PN-Y63

Power: 230-500W
7000-7830 aluminum with copper motor or all copper motor, 500W
1.5L transparent PS jar, stainless steel housing, 2 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0KOH

Color box size: 19*18*4.1CM
Meas: 55.3*19.1*42.9CM
GW: 12.6KG
NW: 11.6KG
6PCS/CTN 20GP=1800PCS 40HQ=4350PCS



MODEL:PN-Y85

Power: 500-800W
8820-8825 aluminum with copper motor or all copper motor, 500-800W
1.5L glass jar, stainless steel and ABS housing, 2 speeds with pulse.
Cross blade detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: NO

Color box size: 23.2*19.3*33.7CM
Meas: 46.3*19.3*32.2CM
GW: 13.6KG
NW: 11.4KG
4PCS/CTN 20GP=1600PCS 40HQ=3930PCS



MODEL:PN-Y69P



MODEL:PN-Y69G



MODEL:PN-Y69S

Power: 500W
7000 aluminum with copper motor or all copper motor, 500W
1.5L Stainless Steel jar with grinder function, stainless steel housing, 2 speeds with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: GS, CE, EMC, LVD, EMI, 2.0KOH, LFGB, CB, ERP, PAH, DGC, CF

Color box size: 23.2*19*33.2CM
Meas: 46.3*19.3*34.7CM
GW: 14.5KG
NW: 11.5KG
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4100PCS

CE CB



MODEL:PN-Y66S

MODEL:PN-Y66EB

MODEL:PN-Y66E

Power: 500-750W
7030, 8820 aluminum with copper motor or all copper motor, 500W-750W.
1.5L transparent glass/stainless steel jar, with grinder function, stainless steel housing, 2 or 3 speeds with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE,EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH, DGCCRF.

Color box size: 23.2*19*32.7CM
Meas: 47.8*39.3*34.2CM
G.W: 14KG5
N.W: 13KG5
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4220PCS

CE CB



MODEL:PN-Y65

Power: 500-750W
7030, 8820 aluminum with copper motor or all copper motor, 500W-750W.
1.25L transparent glass jar or plastic jar with grinder function, stainless steel housing, 2 speeds with pulse or 3 speeds with 2 steps.
4 or 6 pieces detachable stainless steel blade, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 23.2*19*32.7CM
Meas: 47.8*39.3*34.2CM
G.W: 14.2KG5
N.W: 13.2KG5
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4220PCS



MODEL:PN-Y62

CE CB

Power: 500-750W
7030, 8820 aluminum with copper motor or all copper motor, 500W-750W.
1.5L transparent glass jar, with grinder function, stainless steel housing, 2 speeds with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE,EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH, DGCCRF.

Color box size: 23.2*19*32.7CM
Meas: 47.8*39.3*34.2CM
G.W: 14.2KG5
N.W: 13.2KG5
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4220PCS



MODEL:PN-Y67

CE CB

Power: 500-750W
7030, 8820 aluminum with copper motor or all copper motor, 500W-750W.
1.5L transparent glass jar, with grinder function, stainless steel housing, 2 speeds with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, CB, ERP, 2.0ROHS.

Color box size: 23.2*19*32.7CM
Meas: 47.8*39.3*34.2CM
G.W: 14.5KG5
N.W: 13.5KG5
1CTN=4PCS 1*20GP=1820PCS 1*40HQ=4220PCS

CE CB

CE CB

Power: 850W
7030, 8820, 8823 aluminum with copper motor or all copper motor, 500-850W.
1.5L transparent glass jar, stainless steel housing, 2or 5 speeds with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE,EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH, DGCCRF.

Color box size: 29.2*19*34.5CM
Meas: 47.8*39.3*38CM
G.W: 13.3KG5
N.W: 14.3KG5
1CTN=4PCS 1*20GP=1688PCS 1*40HQ=4100PCS



MODEL:PN-Y68/68E

CE CB

MODEL:S-202

MODEL:S-201

Power: 100W
S421 all copper motor, 100W
5 pcs stainless steel blade, ABS plastic housing, easy to clean.
Safe switch: NO
Certificate: CE,EMC, LVD, EMF, 2.0ROHS, CB, LFGB, REACH, PAH, ERP, ETL, CETL.

Color box size: 26*21*21.5CM
MEAS: 64.5*27.3*45CM
GW: 12KG5
NW: 11KG5
1CTN=6PCS 1*20GP=2118PCS 1*40HQ=5148PCS



Power: 500-850W
7030, 8820, 8825 aluminum with copper motor or all copper motor, 500-850W.
1.5L transparent glass jar with grinder function, stainless steel housing, 2 speeds/3speed speed In switch, Switch with color lamp with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE,EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH, DGCCRF.

Color box size: 23.2*19.5*33.7CM
Meas: 48.1*40.5*35.2CM
G.W: 15.4KG5
N.W: 14.2KG5
1CTN=4PCS 1*20GP=1680PCS 1*40HQ=3936PCS



MODEL:PN-Y69/69B

MODEL:S-201B

MODEL:S-202B

Power: 100W
S421 all copper motor, 100W.
1 pcs ice cream component, ABS plastic housing, easy to clean.
Safe switch: NO
Certificate: NO

Color box size: 20*17*23CM
MEAS: 52.5*41.5*24.5CM
GW: 11.4KG5
NW: 10.4KG5
1CTN=6PCS 1*20GP=3144PCS 1*40HQ=7638PCS



Power: 500-850W
7030, 8820, 8825 aluminum with copper motor or all copper motor, 500-850W.
1.5L transparent glass jar, with grinder function, stainless steel housing, 2 speeds/3speed speed In switch, Switch with color lamp with pulse.
Three layer detachable stainless steel blade, easy to clean.
Safe switch: YES
Certificate: GS, CE,EMC, LVD, EMF, 2.0ROHS, LFGB, CB, ERP, PAH, DGCCRF.

Color box size: 23.2*19.5*33.7CM
Meas: 48.1*40.5*35.2CM
G.W: 15.4KG5
N.W: 14.2KG5
1CTN=4PCS 1*20GP=1680PCS 1*40HQ=3936PCS



MODEL:PN-Y88/88B



MODEL:JC-26

Power: 65-130W
Electric Rotating Head: With motor 65-130W. Use Handle Press with rotating head can automatically turn on or off.
Protective Material: Stainless steel shell and plastic integrated filter are durable materials for daily using and cleaning up.
Humanized Design: Anti-drip flip up juice spout. Non-slip base can collect the power cord and keep juicer to be safety.

Color box size: 23.8*19*30CM
Meas: 58.5*46.1*31.5CM
GW: 1.9KGS
NW: 14.4KGS
ICTN=6PCS 1*20GP=1888PCS 1*40HQ=4512PCS



MODEL:PN-285

Power: 100-200W
5145, 5421 all copper motor, 100-200W.
ABS housing, 1 speed, meat grinder and egg beater function.
500ml ABS transparent plastic jar.
With stainless steel blade, easy to clean.
Safe switch: YES
Certificate: CE, 2.B01HS

Color box size: 13*13*25CM
Meas: 53.8*40.6*35.5CM
GW: 1.2KGS
NW: 1.2KGS
ICTN=12PCS 1*20GP=5808PCS 1*40HQ=14100PCS

MODEL:PN-286



MODEL:PN-513

Power: 300-400W
7035, 7030 aluminum with copper motor or all copper motor, 300W, 400W.
ABS plastic housing, 2 speeds with pulse.
Separate the pulp and juice, easy to clean.
Safe switch: YES
Certificate: RO

Color box size: 22.5*18.5*16CM
Meas: 60*46.5*22.5CM
G.W: 1.5KGS
N.W: 1.2KGS
ICTN=6PCS 1*20GP=2184PCS 1*40HQ=5316PCS

MODEL:PN-515



MJ-180 Juicer blender

8825 full copper motor
Power:1200W, 220-240V/50-60Hz
two round pin plug
juicer jar 1000ml
stainless steel housing, S/S blade
2 Speed & Pulse
stainless steel net

gift box:29.8*27*18cm
carton base:61.5*55*41.8cm
1 pc/gift box, 3 pcs/carton
Qty/20: 740 pcs Qty/40HQ:1880 pcs MOQ:1880pcs
Production time:30-35 days
Weight: G.W:18kg N.W:16kg



MJ-181 Digital control Juicer blender

8825 copper motor
Power:1200W, 220-240V/50-60Hz
two round pin plug
Capacity: 1.0L glass jar
stainless steel housing, S/S blade
Speed & Pulse, with LED light
4 in 1 with juicer jar
stainless steel net

gift box:45.8*23*39.0cm
carton base:85.0*45*40.5cm
1 pc/gift box, 3 pcs/carton
Qty/20:313 pcs Qty/40HQ:1260 pcs MOQ:600pcs
Production time:30-35 days
Weight: G.W:21.5kg N.W:19kg



MJ-180 Juicer blender

Juicer blender 8825 full copper motor
Power:1200W, 220-240V/50-60Hz
two round pin plug
Capacity: 1.0L glass jar
stainless steel housing, S/S blade
2 Speed & Pulse
4 in 1 with juicer jar
stainless steel net

gift box:45.8*23*39.0cm
carton base:85.0*45*40.5cm
1 pc/gift box, 3 pcs/carton
Qty/40HQ:313 pcs Qty/40HQ:1260 pcs MOQ:1260 pcs
Production time:30-35 days
Weight: G.W:21.5kg N.W:19kg



MODEL:PN-512

Power: 120-180W
5520/5525 all copper motor, 120-180W.
ABS plastic housing
3 speeds provides plenty of options.
2 beaters and 2 dough hooks.
Certificate: CE, EMC, LVD, EMC1, ROHS, CB, PSE

Color box size: 20.5*9*18CM
Meas: 42.5*28.5*37.0CM
G.W: 1.3KGS
N.W: 1.2KGS
ICTN=12PCS
1*20GP=3592PCS
1*40HQ=17964PCS



MODEL:PN-516

Color box size: 19.5*9*14CM
Meas: 40.5*28.5*33.5CM
G.W: 1.0KGS
N.W: 9KGS
ICTN=12PCS
1*20GP=888PCS
1*40HQ=21096PCS



MODEL:PN-208

Power: 100W
5515 all copper motor, 100W
ABS Plastic housing.
7 speeds provides plenty of options.
2 beaters and 2 dough hooks.
Certificate: RO

Color box size: 18.5*8*15CM
Meas: 38.5*25.5*31.5CM
G.W: 1.1KGS
N.W: 10.5KGS
ICTN=12PCS
1*20GP=1008PCS
1*40HQ=2640PCS



MODEL:PN-512WB

Power: 120-180W
5520/5525 all copper motor, 120-180W.
ABS plastic housing with PP bowl.
5 speeds provides plenty of options.
2 beaters and 2 dough hooks.
Certificate: RO

Color box size: 21*21*22.5CM
Meas: 64.5*25.5*46.5CM
G.W: 1.0KGS
N.W: 11.2KGS
ICTN=6PCS
1*20GP=1732PCS
1*40HQ=4182PCS



MODEL:PN-516WB

Color box size: 21*21*22.5CM
Meas: 64.5*25.5*46.5CM
G.W: 10.2KGS
N.W: 9.8KGS
ICTN=6PCS
1*30GP=1722PCS
1*40HQ=4182PCS



MODEL:PN-208WB

Power: 100W
5515 all copper motor, 100W
ABS Plastic housing with PP bowl.
7 speeds provides plenty of options.
2 beaters and 2 dough hooks.
Certificate: RO

Color box size: 21.4*12.5*9.8CM
Meas: 54*28.8*41CM
G.W: 9.2KGS
N.W: 8.2KGS
ICTN=6PCS
1*30GP=2682PCS
1*40HQ=6438PCS

OT-630 Meat grinder

7625 motor
Power:600W, 220-240V/50-60Hz
two round pin plug
3 cutting blades(3.0,3.0,3.7) and kubbe attachment
ABS housing and food pusher
2 Speeds, reverse function

gift box:50.5*25.5*25.3cm
carton base:93.5*43.5*40CM
1 pc/gift box, 3 pcs/carton
Qty/20: 1402 pcs Qty/40HQ:3408 pcs MOQ: 1000 pcs
Production time:25-35 days
Weight: G.W: 23.5kg, N.W: 21kg



OT-638 Meat grinder

7625 motor
Power:600W, 220-240V/50-60Hz
two round pin plug
3 cutting blades(3.0,3.0,3.7) and kubbe attachment
ABS housing and food pusher
2 Speeds, reverse function

gift box:45*22.5*18cm
carton base:69.5*41.5*40CM
1 pc/gift box, 3 pcs/carton
Qty/20: 1438 pcs Qty/40HQ:3468 pcs MOQ: 1000 pcs
Production time:28-35 days
Weight: G.W: 22.5kg, N.W: 20kg



OT-628 Meat grinder

8820 motor
Power: 800W, 220-240V/50-60Hz
two round pin plug
cross blade and 3 cutting blades(3.0,3.0,3.7), kubbe and sausage attachment
S/S housing and food pusher with reverse function

gift box:53.1*33.1*25.7cm
carton base:94.5*53.5*50CM
1 pc/gift box, 3 pcs/carton
Qty/20: 1062 pcs Qty/40HQ:2580 pcs MOQ: 1000 pcs
Production time: 30-35 days
Weight: G.W: 27.2kg, N.W: 26kg





HC-5420

220V/50HZ
150W, 10000/min, 0.05n. m
E level

100-120V/60HZ
150W, 10000/min, 0.05n. m
E level



HC-5525

220V/50HZ
160W, 10000/min, 0.09n. m
E level

100-120V/60HZ
160W, 10000/min, 0.09n. m
E level



HC-7020

220V/50HZ
200W, 10000/min, 0.1n. m
E level

100-120V/60HZ
200W, 10000/min, 0.1n. m
E level



HC-7025

220V/50HZ
280W, 10000/min, 0.14n. m
E level


100-120V/60HZ
280W, 10000/min, 0.14n. m
E level



HC-7028

220V/50HZ
320W, 10000/min, 0.18n. m
E level

100-120V/60HZ
320W, 10000/min, 0.18n. m
E level



HC-7030

220V/50HZ
350W, 10000/min, 0.2n. m
E level

100-120V/60HZ
350W, 10000/min, 0.2n. m
E level



HC-8820

220V/50HZ
500W, 10000/min, 0.3n. m
E level

100-120V/60HZ
500W, 10000/min, 0.3n. m
E level



HC-8825

220V/50HZ
600W, 10000/min, 0.34n. m
E level

100-120V/60HZ
600W, 10000/min, 0.34n. m
E level

Product							
Item No.	PN-Y67	PN-Y66	PN-Y68E	PN-Y81B	PN-Y88B	PN-Y86	PN-Y85
Color box size (LxWxD (mm))	23.2x18.5x37.7						
Meas (LxWxD (mm))	47.8x39.3x34.2	47.8x39.3x34.2	47.8x39.3x34.2	48.9x39.5x35.2	48.9x39.5x35.2	48.9x39.5x35.2	52.5*38.5*38.5
Pcs/Ctn	4/1	4/1	4/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	1829/4220	1688/4100	1688/4100	1680/3636	1680/3636	1680/3636	1440/3492

Product						
Item No.	PN-2816D	PN-2816G	PN-2816P	PN-2826G	PN-2826P	PN-2826D
Color box size (LxWxD (mm))	19.5x18.5x37.7	23.8x19x30.2	19.5x18.5x37.7	24.3x18.5x30.8	20.1x18.5x37.7	20.1x18.5x37.7
Meas (LxWxD (mm))	57x40.5x39.2	49.1x39.5x31.7	57x40.5x39.2	59.1x39.5x32.2	57.3x41.5x39.2	57.3x41.5x39.2
Pcs/Ctn	6/1	4/1	6/1	4/1	6/1	6/1
2014HQ(pcs)	1820/4500	1824/4424	1820/4500	1854/4506	1820/4380	1820/4380

Product							
Item No.	PN-2866D	PN-2866P	PN-2866D	PN-4399P	PN-4399B	PN-4399P	PN-4399D
Color box size (LxWxD (mm))	22.3x19x32.3	19x17.5x38	19x17.5x38	22.3x19x32.3	20x17x38.5	22.3x19x32.3	22.3x19x32.3
Meas (LxWxD (mm))	49.9x39.5x33.8	54x39.5x39.5	54x39.5x39.5	52.5x41.5x40	45.9x39.5x33.8	52.5x41.5x40	45.9x39.5x33.8
Pcs/Ctn	4/1	6/1	6/1	6/1	6/1	6/1	6/1
2014HQ(pcs)	1829/4440	1922/4842	1922/4842	1930/4602	1850/4440	1930/4602	1850/4440

Product							
Item No.	PN-688P	PN-688G	PN-688P	PN-618G	PN-618P	PN-618D	PN-618G
Color box size (LxWxD (mm))	18x19x39	24.5x17.8x31.5	20x18x39	22.3x18x32.3	20x18x39	20x18x39	22.3x18x32.3
Meas (LxWxD (mm))	55.9x39.5x40.5	50.5x37.1x33	55.9x41.5x40.5	45.9x39.5x33.8	55.9x41.5x40.5	55.9x41.5x40.5	45.9x39.5x33.8
Pcs/Ctn	6/1	4/1	6/1	6/1	6/1	6/1	6/1
2014HQ(pcs)	1895/4590	1816/4412	1820/4374	1828/4440	1820/4374	1820/4374	1828/4440

Product							
Item No.	PN-688P	PN-688G	PN-688P	PN-688G	PN-782P	PN-782G	PN-782P
Color box size (LxWxD (mm))	24x18.5x32.5	23.5x18.5x32.5	24x18.5x32.5	23.5x18.5x32.5	21x20x40	23.7x19.5x31.7	21x20x40
Meas (LxWxD (mm))	49.5x38.5x34	49.5x38.5x34	49.5x38.5x34	48.5x38.5x34	61.5x43.5x41.5	48.9x40.5x33.2	61.5x43.5x41.5
Pcs/Ctn	4/1	4/1	4/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	1700/4232	1820/4300	1760/4232	1820/4300	1512/3672	1700/4138	1512/3672

Product							
Item No.	PN-Y830	PN-688P	PN-688G	PN-688P	PN-688G	PN-Y46P	PN-Y46D
Color box size (LxWxD (mm))	23.7x19.5x31.7	20.5x18.5x38	21.2x19x30.2	20.5x18.5x38	21.2x19x30.2	17x17x39	23.5x19x31.8
Meas (LxWxD (mm))	48.9x40.5x33.2	55.5x42.5x39.5	49.5x38.5x34	49.5x38.5x34	55.5x42.5x39.5	49.5x38.5x34	48.5x39.5x33.3
Pcs/Ctn	4/1	6/1	4/1	4/1	6/1	4/1	4/1
2014HQ(pcs)	1790/4136	1800/4380	1800/4359	1800/4350	1800/4350	2226/5406	1790/4254

Product					
Item No.	PN-422	PN-433	PN-402	DC-28	PN-422
Color box size (LxWxD (mm))	24x20x43	24x20x43	23.4x19.3x34.5	26.5x19x34.5	25.5*18.5*37
Meas (LxWxD (mm))	48.5x41.5x44.5	48.5x41.5x44.5	48.3x40.1x38	54.5x39.5x20	52.0*38.5*38.5
Pcs/Ctn	4/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	1224/2972	1224/2972	1804/3800	2000/4800	1440/3492

Product					
Item No.	PN-285	PN-286	S-201	S-282	S-201B
Color box size (LxWxD (mm))	12.7x12.7x27	12.7x12.7x26.5	26.2x12x11.5	26.2x12x11.5	20x17x23
Meas (LxWxD (mm))	65.5x52.8x28.7	65.5x52.8x28.2	84.5x27.3x45	84.5x27.3x45	82.9x41.5x24.5
Pcs/Ctn	20/1	20/1	6/1	6/1	6/1
2014HQ(pcs)	5640/13700	5740/13940	2116/5148	2116/5148	3144/7638

Product							
Item No.	S-202B	PN-600	PN-600S	PN-600(2 IN 1)	PN-610	PN-610S	PN-620
Color box size (LxWxD (mm))	18.5x19.5x19.5	22x13x22	22x13x22	20.8x15.5x24.5	22x13x22	22x13x22	22x13x22
Meas (LxWxD (mm))	67x38x21	67.5x40.5x23.5	67.5x40.5x23.5	48x43x26	67.5x40.5x23.5	67.5x40.5x23.5	67.5x40.5x23.5
Pcs/Ctn	6/1	9/1	9/1	6/1	9/1	9/1	9/1
2014HQ(pcs)	3680/8964	3824/9540	3924/9540	3162/7702	3824/9540	3824/9540	3824/9540

Product							
Item No.	PN-422B	PN-430	PN-401	PN-Y68T	PN-317	PN-487G	PN-Y88T
Color box size (LxWxD (mm))	22x13x22	22x13x22	8.7x8.7x29.7	23.2x19x34.5	22.5x19x33.5	23.5x18.5x32.5	23.7x18.5x33.7
Meas (LxWxD (mm))	67.5x40.5x23.5	67.5x40.5x23.5	45x36.3x29.8	47.8x39.3x36	48.5x39.5x35	48.5x38.5x34	48.5x39.5x34.2
Pcs/Ctn	9/1	9/1	20/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	3924/9540	3924/9540	13300/32300	1688/4100	1820/4300	1820/4300	1680/3936

Product							
Item No.	PN-916	PN-918	PN-919	PN-Y66	PN-405S	PN-Y66S	PN-Y66S
Color box size (LxWxD (mm))	23.2x19x34.5	22.5x19x33.5	23.2x19x34.5	23.2x19x34.5	22.5x19x33.5	23.2x19x32.7	23.7x18.5x33.7
Meas (LxWxD (mm))	47.8x39.3x36	48.5x39.3x36.2	47.8x39.3x36	48.5x39.3x36	48.5x39.3x36.2	47.8x39.3x34.2	48.5x39.5x34.7
Pcs/Ctn	4/1	4/1	4/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	1688/4092	1820/4300	1688/4092	1688/4092	1820/4300	1820/4220	1688/4100

Product							
Item No.	PN-Y66	PN-Y66E	PN-Y66G	PN-Y66P	PN-Y65	PN-Y62	PN-Y88
Color box size (LxWxD (mm))	23.2x19x32.7	23.2x19x32.7	23.2x19x32.7	19x19x40.5	23.2x19x32.7	23.2x19x32.7	23.7x18.5x33.7
Meas (LxWxD (mm))	47.8x39.3x34.2	47.8x39.3x34.2	48.5x39.3x34.7	38.5x39.5x42	47.8x39.3x34.2	47.8x39.3x34.2	48.5x39.5x34.2
Pcs/Ctn	4/1	4/1	4/1	4/1	4/1	4/1	4/1
2014HQ(pcs)	1820/4220	1820/4220	1688/4100	1734/4200	1820/4220	1820/4220	1680/3936

Product							
Item No.	PN-1831P	PN-1831G	PN-2815P	PN-2815G	PN-210P	PN-210G	PN-999P
Color box size (LxWxD (mm))	17.6x17.6x40.3	23.5x16x31.8	21.8x18.5x31	22.5x19x30.5	23.7x19x32.7	23.7x19x32.7	19.5x16.5x35
Meas (LxWxD (mm))	54.3x39.7x41.8	48.5x39.5x33.3	56.7x39.5x32.2	45.9x39.5x32	48.5x39.3x34.2	48.5x39.3x34.2	51x40.5x36.5
Pcs/Ctn	6/1	4/1	6/1	4/1	4/1	4/1	6/1
2014HQ(pcs)	2016/4902	1756/4264	2000/4802	1928/4688	1700/4120	1700/4120	2340/6478

Product							
Item No.	PN-999P(3 IN 1)	PN-999G	PN-999C	PN-408P	PN-408S	PN-513	PN-515
Color box size (LxWxD (mm))	32.8x16.5x25	20x16.7x37.5	17.5x14x32.5	34x26.5x26.7	34x26.5x26.7	22.5x19.5x28	22.5x19.5x28
Meas (LxWxD (mm))	51x34.5x16.5	41.5x34.5x39	43.5x34.5x34	68.5x43.5x28.2	68.5x43.5x28.2	60x46.5x27.5	60x46.5x27.5
Pcs/Ctn	6/1	6/1	6/1	4/1	4/1	6/1	6/1
2014HQ(p							

ABODEWARE



World Way International

“Working Around the Globe for You”

Corporate

Charlotte, NC

Sales Office

New York, NY

Warehouse

World Way International, LLC

NO.1, Jintian Rd 8, Beiguan Town, Yangdong County, Yangjiang City,
Guangdong Province, China 529931

Email: gil@worldwayinternational.com

Web: www.worldwayinternational.com

